

**FENIX**

# UC35 V2.0

Tactical compact flashlight



**UPGRADED CLASSIC**  
**SMALLER BUT**  
**STRONGER**

 **1000** LUMENS  **266** m



# UC35 V2.0

is a tactical, pocket-sized, compact flashlight featuring **Micro USB** recharging, with exquisite appearance, far-reaching beam and one-handed operation.

It is fitted with a CREE XP-L HI V3 LED that delivers an output of up to 1000 lumens and a max distance of 266 meters. One **tactical tail** and one functional side switch control five output levels and strobe mode. **Boot-up battery level indication** ensures users are well-prepared.

**The included 3500mAh 18650 Li-ion battery**, plus compatibility with cold-resistant CR123A battery, thoughtfully caters for the demands of various application scenarios. The UC35 V2.0 is a good helper for military, policing, outdoor lighting and emergency standby.





- Pocket-sized ■
- Micro USB rechargeable ■
- Boot-up battery level indication ■
- Moonlight mode - 800h ultra-long runtime ■



A person is shown in the bottom right corner, holding a flashlight that projects a powerful beam of light across a dark forest. The beam illuminates a rocky cliff face on the left side of the image. The sky is dark with many stars visible. The overall scene is a night-time outdoor setting.

# 1000 LUMENS

266 Meters

Cree XP-L HI V3 LED



# POCKET-SIZED BETTER GRIP

1% progress needs 100% devotion: the UC35 V2.0 is 10mm shorter than the UC35, thus offering better experience both in grip and convenience, while keeping most of the features.





## MICRO USB CHARGING INNER WATERPROOFING TREATMENT

- Commonly used micro USB charging cable is available; inner waterproofing treatment for the charging port.
- The normal charging time of the included Fenix ARB-L18-3500 is about 3.5 hours.

Note: The light works normal when using CR123A battery, but charging is prohibited.



The UC35 V2.0 features plug in and charge, while the UC35 needs to have the tail switch depressed to get charging started.



# CLEAR BOOT-UP BATTERY LEVEL INDICATION

Each time the light is turned on, the battery level indicator will automatically display the battery status for 3 seconds.

- Green constant on: saturated
- ⚡ Green flashes: sufficient

- Red constant on: poor
- ⚡ Red flashes: critical



Note: There is no indication when CR123A battery is used.

# 1 LUMEN MOONLIGHT MODE

## 800 HOURS ULTRA-LONG RUNTIME

- 👁️ Prevents glaring when illuminating close-by objects. Very reliable and practical lighting source for reading, getting up at night, caring for children and camping.
- 🕒 800 hours ultra-long runtime  $\approx$  33.3 days; be well-prepared for long-lasting outdoor activities, and even be the ray of light in case of emergency conditions and situations.





# USER-FRIENDLY OPERATION EASY AND FAST



## Side switch: Output selection

- Single click to select brightness ■
- Keep depressed for strobe ■

## Tail switch: Instant action

- Tap to momentarily turn on ■
- Fully press to constantly turn on/off ■

# AVAILABLE ACCESSORIES

(SOLD SEPARATELY)



Diffuser tip AOD-S



Traffic wand AOT-S



Bike mount ALB-10



Belt clip AB02



Remote switch AER-01/02



Tactical flashlight clip  
(ALG-01/ALG-00)





Inner waterproofing treatment of the charging port - waterproofness will never be compromised.

# IP68 RATED PROTECTION

Submersible to 2 meters  
Fearless of harsh environments  
Totally protected against dust and foreign objects

# ORIGIN AND INNOVATION

## Comparison


Model	UC35 V2.0	UC352014
LED	Cree XP-L HI V3	Cree XM-L2 U2
Max output	1000 Lumens	960 Lumens
Max beam distance	<b>266m</b>	<b>200m</b>
Max runtime	<b>800h</b>	<b>150h</b>
Output levels	5 (incl Moonlight) + Strobe	5 + Strobe
Ways of charging	Micro USB charging	Micro USB charging, depress tail switch to start
Boot-up battery level indication	√	×
Size	140 x 25.4mm	150 x 25.4mm
Weight	89g (excluding battery)	88g (excluding battery)
Material of side switch	<b>Stainless steel: oxidation-resistant</b>	<b>Silicone</b>



# TECHNICAL PARAMETERS

ANSI/PLATO FL1	Turbo	High	Med	Low	Moonlight	Strobe
 <b>Output</b>	1,000 Lumens	350 Lumens	150 Lumens	50 Lumens	1 Lumen	1,000 Lumens
 <b>Runtime</b>	2h 15min	4h 10min	10h 40min	28h 10min	800h	/
 <b>Distance</b>	266m	160m	98m	64m	10m	/
 <b>Intensity</b>	17,700cd	6,400cd	2,400cd	1,000cd	25cd	/
 <b>Impact Resistance</b>	1m					
 <b>Waterproof</b>	IP68, under water 2m					

Note: The abovementioned parameters (lab-tested by using Fenix ARB-L18-3500 18650 rechargeable Li-ion battery) may vary between flashlights, batteries and environments.



# MAIN FEATURES



- Cree XP-L HI V3 LED, with lifespan of 50,000 hours
- Powered by one 18650 rechargeable Li-ion battery or two 3V/CR123A Lithium batteries
- 5V/2A Micro USB rechargeable, included 18650 rechargeable Li-ion battery
- 140mm Length x 23.5mm Body diameter x 25.4mm Head diameter
- 89 grams/3.13oz (excluding battery)
- Boot-up battery level indication and low-voltage warning function
- Digitally regulated output maintains constant brightness
- Reverse polarity protection to protect from improper battery insertion
- Anti-roll and anti-slip body design
- Tactical tail switch features instant activation
- Functional side switch for output selection
- Made of durable high-strength and oxidation-resistance aluminum
- Premium type HAIII hard-anodized anti-abrasive finish
- Toughened ultra-clear glass lens with an anti-reflective coating



# INCLUDED IN THE PACKAGE



UC35 V2.0



ARB-L18-3500 Li-ion battery



Micro USB charging cable



Lanyard



Spare rubber switch boot



2\* Spare O-rings



Holster



User manual



Warranty card



Information leaflet

Size: 160\*90\*35mm / 6.3\*3.5\*1.4in

Weight: 229g / 8.1oz