


E02R 200 lumens maximum output

# MINI BUT BRIGHT

Rechargeable Mini Keychain Light









Twisty switch



Micro USB charging



Three colors available



# **CARRY IT ANYTIME, ANYWHERE**

The E02R utilizes a CREE XP-G2 LED with a lifespan of 50,000 hours. The light emits an impressive output of up to 200 lumens. It can be carried along with your keys so you always have a reliable and bright light - anytime and anywhere.









# **RELIABLE WALKING LIGHT**

Whether it is commuting or walking, the E02R with its professional lens, shines brighter and farther than a mobile phone light. You don't have to worry about dark corners walking at night. You deserve safety and protection.











#### THREE COLORS FOR PERSONALIZED CHOICE

There are three optional colors of classic black, fancy blue and elegant brown. The E02R combines attractive appearance and practical performance.





# PRACTICAL AND CONVENIENT MICRO USB CHARGING

The E02R is powered by the built-in 120mAh Li-polymer battery, allowing you to reach a maximum runtime of 6.5 hours. The E02R has a standard Micro USB port in the middle for charging with the included Micro USB charging cable; easy charging without carrying an additional battery charger.





### A THUMB SIZE FOR PER-FECT EVERYDAY CARRY

The E02R has an ultra-compact body shape which provides convenient carrying. It is a true go-to flashlight whether matched with the car key or a handbag. Additional features include a thoughtful keychain loop, anti-slip tail and charging port mark, all making for an easier user experience.



SIZE: 1.89" x 0.59" x 0.55" / 48 x 15 x 14 mm



### **IP68 RATED PROTECTION**

Able to work in extreme environments

Fully protected against dust and foreign objects

Submersible to 2 meters for 30 minutes.

- \* According to the ANSI/PLATO FL1 standard, the above specifications are from the results produced by Fenix through its laboratory testing.
- \* Once charging is completed, be sure to tighten the light head to maintain dustproof and waterproof ability.



### **ALUMINUM BODY - TOUGH AND RELIABLE**

The light body is made of high-strength A6061-T6 aluminum. Rugged and reliable, even when subjected to extreme conditions. It can withstand a drop test of 1.5 meters on 6 sides.





**SIZE:** 1.89" × 0.59" × 0.55" / 48 × 15 × 14 mm

WEIGHT: 0.53 oz / 15 g

AN	SI/ PLATO FL1	High	Low
31.6	Output	200 lumens*	15 lumens
0	Runtime	25 minutes	6.5 hours
	Distance	49 meters	13 meters
•	Intensity	591 candela	39 candela
N.	Impact Resistance	1 meter	
-AL	Submersible	IP68	

Note: According to the ANSI/PLATO FL1 standard, the above specifications are from the results produced by Fenix through its laboratory testing using the built-in 120 mAh Li-polymer battery under the temperature of 21±3°C and humidity of 50% - 80%. The true performance of this product may vary according to different working environments and the actual battery used.

\*The High output is measured in total of runtime including output at reduced levels due to temperature or protection mechanism in the design.






### INCLUDED













Spare O-ring



User manual



Warranty card

Package size: 4.24" × 4.02" × 1.69" / 107 × 102 × 43 mm

