

AER-05 TACTICAL REMOTE PRESSURE SWITCH









Tactical dual switch



Specially fitted suitable cable



INNOVATIVE APF CIRCUIT FREE OPERATION, INSTANT ACTIVATION

The built-in APF circuit allows easy and fast operation of momentary-on or constant-on illumination with the tactical dual tail switch.

Tactical tail switch (round)

FERIOX Agusta

> tap for momentary on, press for constant on

Pressure pad switch (long)

for instant strobe







FINELY MADE TAIL ADAPTER, SCRATCH- AND WEAR-RESISTANT FOR HARSH ENVIRONMENTS

The tail adapter is made of high-strength A6061-T6 aluminum. Rugged and reliable, even when subjected to extreme conditions.

* A6061-T6 is high-quality aluminum alloy produced by heat-treating and pre-stretching process. It is widely used in various industrial structural parts requiring a certain strength and high corrosion resistance, such as truck manufacturing, skyscrapers, ships, trams, railway vehicles, furniture machinery parts, precision machining, molds and more.







IP68 RATED PROTECTION MAINTAINS RELIABLE PERFORMANCE


Integrated injection molding of the switches and the body shell.

Able to work in extreme environments

Fully protected against dust and foreign objects
Submersible to 2 meters for 30 minutes.

^{*} According to the ANSI/PLATO FL1 standard, the above specifications are from the results produced by Fenix through its laboratory testing





INCLUDED



Package size: 7.09" x 3.82" x 1.34" / 180 x 97 x 34 mm

