

150 LUMENS MAXIMUM LUMENS

MULTIPURPOSE SUPER MINI EDC LIGHT

BEST LIGHT FOR YOUR EDC LIFE







Red and blue signal Mini size and and warning lights ultralight weight





USB Type-C charging



LIGHT ALWAYS BY YOUR SIDE

The E-LITE is a mini EDC light that can be clipped on to your hat, pocket, backpack or bicycle tail, or worn on your waist or chest, etc. This multifunctional little light emits an impressive maximum 150 lumens and is a great light for your everyday carry needs.



150 lumens







40 meters













150 lumens

THREE BRIGHTNESS LEVELS FOR VARIOUS LIGHTING DEMANDS

You can count on this EDC light for night walking or running, commuting in the city, or for emergency conditions; by a single pressing from your fingertip to light up the dark.





RED AND BLUE LIGHTS ALLOW FOR MULTIPLE USES





THIN AND LIGHTWEIGHT, READY-TO-GO LIGHTING

This fantastic flashlight measures only 52 mm in length and weighs only 18 grams. It is perfect for ready-to-go illumination every day.











PRACTICAL AND CONVENIENT USB TYPE-C CHARGING



The light comes with a built-in 275 mAh Li-polymer battery, with a USB Type-C charging interface, for easy and fast charging.







AN ALL-IN-ONE SWITCH, SIMPLE ONE-PRESS OPERATION

This flashlight has a single button switch, allowing simple switching between white, red and blue modes, and selection of a brightness level.

WHITE LIGHT:

- On/off: press and hold the switch for 0.5 seconds.
- Output Selection: single click the switch to cycle through Low→Med→High.

RED/BLUE LIGHTS:

- On/off: press and hold the switch for 1.2 seconds.
- Output Selection: single click the switch to cycle through Red→Red Flash→Blue→Blue Flash.

6/ LOCK/UNLOCK:

Double click the switch.







QUALITY MATERIAL, TOUGH AND RELIABLE

The light body is made of international standard PC materials. Rugged and reliable, even when subjected to extreme conditions. It can withstand a drop test of 1.5 meters on 6 sides.

* The 1.5 meters drop test results were produced by Fenix through its laboratory testing.





TECHNICAL PARAMETERS

SIZE: 2.05" x 0.91" x 0.79" / 52 x 23 x 20 mm

WEIGHT: 0.63 oz / 18 g.

ANSI/PLATO FL1	HIGH	MED	LOW	RED	RED FLASH	BLUE	BLUE FLASH
≥1/2 OUTPUT	150 lumens	45 lumens	5 lumens	3 lumens	3 lumens	3 lumens	3 lumens
() RUNTIME	1 hour 40 minutes*	4 hours 20 minutes	20 hours	8 hours	22 hours	8 hours	22 hours
DISTANCE	40 meters	22 meters	9 meters	7 meters	7 meters	7 meters	7 meters
INTENSITY	410 candela	121 candela	20 candela	1	1	1	1
IMPACT RESISTANCE	1 meter						
WATER RESISTANT	IP66						


Note: According to the ANSI/PLATO FL1 standard, the above specifications are from the results produced by Fenix through its laboratory testing using the built-in 275mAh Li-polymer battery, under the temperature of 21±3°C and humidity of 50% - 80%. The true performance of this product may vary according to different working environments.

^{*} The High output is measured in total of runtime including output at reduced levels due to temperature or protection mechanism in the design.





INCLUDED



Package size: 5.75" x 3.82" x 1.65" / 146 x 97 x 42 mm

