



Medical Abortion- An Easy Option

Index



1. Introduction
2. Why women choose Medical abortion
3. how abortion pills work
4. How should you consume abortion pills
5. What are the desired symptoms during the ongoing abortion procedure
6. Order abortion pills online



Introduction

- Choosing abortion becomes an option when women have other priorities ahead in their current stage of life, and taking steps towards being a mother is a massive responsibility.
- Thus, when we think of going for an abortion, the one thing which quickly comes to our mind is how can we get an easy access to manage our unwanted early pregnancy.
- Medical field experts recommend going for Medical (Medication) Abortion with MTP kit which includes Mifepristone and Misoprostol use, which one can experience highly effective abortion without any surgery.



Why women choose Medical abortion?

- Women may choose abortion because of any personal, professional or medical issues.
- However, women have fear of going for a surgery as it includes usage of surgical tools, anaesthesia, etc.
- On the other hand medical abortion becomes the safest and most secure method as it involves consumption of the abortion pills and feels more natural method similar to a miscarriage.



How abortion pills work

- In the initial stage, the cells present in the ovaries impart progesterone hormone which is essential for your gestation to develop.
- Similarly, it helps the embryo to grow and develop into further stages.
- So, Mifepristone being an anti-progesterone works by blocking the progesterone hormone and the pregnancy is stopped from growing further.
- Likewise, the second pill Misoprostol helps to cause contractions and discharges the tissues and causes vaginal bleeding in MTP Kit allowing the tissues to impel out from the womb.





How should you consume abortion pills

- The pills can be consumed in the following method for an at-home abortion.
- You need to take Mifepristone 200 mg with water directly.
- After consuming the first pill you can wait for 24 hours and within 48 hours you need to take the second pill Misoprostol 800 mcg (4 pills of 200 mcg) each.



Desired symptoms during the ongoing abortion procedure

- Cramping and vaginal bleeding is the common symptom which indicated that the abortion process is started.
- Some mild symptoms of nausea, headache, dizziness, body pain, fever may be observed.
- In case if you observe any other symptoms which tend to be severe then you can opt for a medical assessment.
- Once you have completed 15-20 days it is advised to do a pregnancy test to confirm if the abortion process is successful.

Order abortion pills online

- For buying abortion pills you can visit our website and choose MTP Kit as we provide our customers with the best quality pregnancy termination pills from our online pharmacy store.
- Our main aim is to help our customers in their tough time by keeping them on priority.
- We assist them in all ways so that they can have a successful medical abortion.



ABORTIONPILLS^{RX}

HOME

ABOUT US

FAQS

BLOG

WOMEN'S HEALTH PRODUCT ▾

MTP Kit **OFFER**

Mifeprex

Cytolog

Generic RU486

Nuvaring

Pregnancy Test Kit

Plan B

Ovral

Ovral L

BIRTH CONTROL PILLS

Ovral G

Yasmin

Nuvaring



About us

We are here to...

Contact us



Address: Rax Global LLC
Suit 15, 1st Floor Oliaji Trade Centre,
victoria, Mahe Seychelles
1004



Email ID: support@abortionpillsrx.com



<https://www.abortionpillsrx.com/>

Thank You