

Updated Pricing and new
HDPE Floor Scale Option
PAGE 5

Floor Scales

Distributor Reference Guide

Important note:
Fairbanks product information located at the
Nexus platform are updated more
frequently and are the best source for
current product information.




Contents

Aegis Floor Scale Information.....	3
Aegis Mild Steel Deck Pricing.....	4
Aegis Stainless Steel Deck Pricing.....	4
HDPE Floor Scale Option	5
NEW - Aegis Mild Steel Portability Frame Options	6
List of Standard Floor Scale Modifications.....	7
Aegis Line Overview.....	7
Aegis Mild Steel Floor Scale Packages	8
Aegis Mild Steel Floor Scale Accessories (Ramps, Bumper Guards, Pit Frames & Hardware)	9
Aegis Stainless Steel Floor Scale Accessories (Ramps, Bumper Guards, Pit Frames & Hardware).....	10
Aegis Lift Deck Scale	11
Aegis Heavy Capacity Floor Scales.....	12
Aegis Xtreme Duty.....	13
Aegis Xtreme Duty Scales Pricing.....	14
Aegis Coil Scales	15
Aegis Drum Scales	16
Aegis Mild Steel Drum Scales.....	17
Aegis Stainless Steel Drum Scales.....	18
Aegis Drum Scale Accessories.....	19
Aegis Transport Scales.....	20
Yellow Jackets.....	21
Yellow Jacket Floor Scales & Floor Scale Packages	21
Yellow Jacket Floor Scale Accessories & Factory Services	22
Yellow Jacket U-Shaped Floor Scales.....	23
Floor Scale Accessories.....	24
Aegis Factory Services	25
Aegis Floor Scale Modifications.....	25



The prices and product information in this catalog are for reference only. Please check the Fairbanks Nexus online catalog system for the most up to date information.

Aegis Floor Scale Information

Aegis Scale		
	Model	Aegis Industrial Mild Steel Aegis Industrial Stainless Steel
	Description	Dependable, low profile floor scale that is ideal for general weighing applications and is designed for years of accurate and reliable service.
	Capacities & Sizes	30" x 30" to 6' x 8' 1,000 lbs. or 10,000 lbs.
	Target Applications	Heavy use applications Landscaping, General Warehousing, Small reactors/tanks Stainless Steel – Food processing, chemical manufacturing, distribution
		<p><u>Aegis Features:</u></p> <ul style="list-style-type: none"> Platform height of only three inches. Top Access – J-box and leveling A complete list of standard product modifications are available, including, but not limited to smooth platform, special sizes, lifting handles, and many more. Lifting eyes available Optional factory calibration NTEP approved FM approved load cells for all intrinsically safe environments <p><u>Mild Steel:</u></p> <ul style="list-style-type: none"> Constructed with A36 mild steel Easy leveling through top holes in the platform corners <p><u>Stainless Steel:</u></p> <ul style="list-style-type: none"> Constructed with 304 stainless steel Rugged structural rib design Extremely accurate Neutral Axis load introduction IP68/69k load cells

SPECIFICATIONS	Aegis Mild Steel	Aegis Stainless Steel
Platform	1/4" thick deck with safety tread	1/4" thick deck with safety tread
Platform Height	3" nominal on all models	3" nominal on all models
Overload Capacity	150% of rated scale capacity	150% of rated scale capacity
Endloading	100% of rated scale capacity	100% of rated scale capacity
Humidity	0% to 95% non-condensing	100% Suitable for water washdown
Cable Length	30' standard (analog)	30' standard (analog)
Deck Construction	Type A36 carbon steel	Type 304 PH Stainless Steel
Paint	Gray acrylic enamel	
Grade Level	In operation, scale must be within 3 degrees of level	In operation, scale must be within 3 degrees of level
NTEP	5000 d	5000 d
Accessories	Ramps, Bumper Guards, Pit Frame, Instrument Pillars, Quick Disconnect, Factory Calibration	Ramps, Bumper Guards, Pit Frame, Instrument Pillars, Quick Disconnect, Factory Calibration
LOAD CELL SPECIFICATIONS		
Cable	4 conductor with PVC jacket	Shielded, 4 conductor
Protection Rating	IP67	IP69K
Load Cell Construction	Alloy Tool Steel	17-4 Stainless Steel
Sealing		True hermitic seal
Rated Output	3.00 mV/V +/-0.25%	2 mV/V/ohm +/-0.002
Output Resistance	350 ohms +/-5 ohms	1000 ohms +/-1 ohm
Ultimate Overload (FSO)	300%	300%
Safe Overload (FSO)	150%	200%
NTEP CC	95-172	04-102
FM Approved	YES	YES

For standard floor scale accessories see pages 6 – 7. For factory services and standard modifications, please see pages 21 - 25



Aegis Mild Steel Deck Pricing

Platform with NTEP load cells, stainless steel NEMA 4X analog J-box, and pre-wired 30-foot cable

PIT FRAMES ARE AVAILABLE FOR THE AEGIS FLOOR SCALE

Aegis Mild Steel Floor Scale						
Product #	Description	Capacity (lbs.)	Length	Width	Shipping Weight	List Price
147130	AEGIS MS 2'-6" X 2'-6" 1K	1,000	30"	30"	200 lbs	\$2,264.00
63606	AEGIS MS 3'x 3' 1000 LB	1,000	3'	3'	250 lbs	\$2,264.00
63607	AEGIS MS 3'x 3' 2500 LB	2,500	3'	3'	250 lbs	\$2,264.00
63608	AEGIS MS 4'x 4' 2500 LB	2,500	4'	4'	405 lbs	\$2,109.00
63609	AEGIS MS 4'x 4' 5000 LB	5,000	4'	4'	405 lbs	\$2,109.00
63610	AEGIS MS 4'x 4' 10,000 LB	10,000	4'	4'	405 lbs	\$2,446.00
63611	AEGIS MS 4'x 5' 5000 LB	5,000	4'	5'	500 lbs	\$2,641.00
63612	AEGIS MS 4'x 5' 10,000 LB	10,000	4'	5'	500 lbs	\$2,902.00
63613	AEGIS MS 4'x 6' 5000 LB	5,000	4'	6'	600 lbs	\$2,883.00
63614	AEGIS MS 4'x 6' 10,000 LB	10,000	4'	6'	600 lbs	\$3,220.00
63615	AEGIS MS 5'x 5' 5000 LB	5,000	5'	5'	650 lbs	\$2,713.00
63616	AEGIS MS 5'x 5' 10,000	10,000	5'	5'	650 lbs	\$3,228.00
63617	AEGIS MS 5'x 7' 5000 LB	5,000	5'	7'	900 lbs	\$3,480.00
63618	AEGIS MS 5'x 7' 10,000 LB	10,000	5'	7'	900 lbs	\$4,169.00
183364	AEGIS MS 6' X 6' 2,500 LB	2,500	6'	6'	920 lbs	\$5,735.00
106582	AEGIS MS 6' X 6' 5,000 LB	5,000	6'	6'	920 lbs	\$5,735.00
148693	AEGIS MS 6' X 6' 10,000 LB	10,000	6'	6'	920 lbs	\$5,837.00
63667	AEGIS MS 6'x 8' 10,000 LB	10,000	6'	8'	1150 lbs	\$5,853.00

Aegis Stainless Steel Deck Pricing


Stainless steel platform with stainless steel "true" hermitically sealed load cells, SS NEMA 4X analog J-box, and pre-wired 30-foot cable



Aegis Stainless Steel Floor Scales						
Product #	Description	Capacity	Length	Width	Weight	List Price
63715	AEGIS SS 30" x 30"; 1,000 LB	1,000	30"	30"	200 lbs	\$4,321.00
63716	AEGIS SS 3' x 3'; 1,000 LB	1,000	3'	3'	250 lbs	\$4,463.00
63717	AEGIS SS 3' x 3'; 2,500 LB	2,500	3'	3'	500 lbs	\$4,463.00
63718	AEGIS SS 4' x 4'; 2,500 LB	2,500	4'	4'	405 lbs	\$5,683.00
63719	AEGIS SS 4' x 4'; 5,000 LB	5,000	4'	4'	405 lbs	\$5,683.00
63720	AEGIS SS 4' x 4'; 10,000 LB	10,000	4'	4'	405 lbs	\$7,637.00
63721	AEGIS SS 4' x 5'; 5,000 LB	5,000	4'	5'	500 lbs	\$6,645.00
63722	AEGIS SS 4' x 5'; 10,000 LB	10,000	4'	5'	500 lbs	\$8,672.00
63723	AEGIS SS 4' x 6'; 5,000 LB	5,000	4'	6'	600 lbs	\$8,759.00
63724	AEGIS SS 4' x 6'; 10,000 LB	10,000	4'	6'	600 lbs	\$9,403.00
63725	AEGIS SS 5' x 5'; 5,000 LB	5,000	5'	5'	650 lbs	\$7,746.00
63726	AEGIS SS 5' x 5'; 10,000 LB	10,000	5'	5'	650 lbs	\$10,317.00
63727	AEGIS SS 5' x 7'; 5,000 LB	5,000	5'	7'	900 lbs	\$11,283.00
63728	AEGIS SS 5' x 7'; 10,000 LB	10,000	5'	7'	900 lbs	\$12,865.00
63729	AEGIS SS 6' x 8'; 10,000 LB	10,000	6'	8'	1150 lbs	\$14,815.00



HDPE Floor Scale Option

Aegis Stainless Steel Floor Scale with HDPE Deck

	Model	Aegis Industrial Stainless-Steel base with HDPE Deck	<p>Aegis Features:</p> <ul style="list-style-type: none"> Platform height of approximately three inches. Stainless Steel: <ul style="list-style-type: none"> Constructed with 304 stainless steel Rugged structural rib design Extremely accurate Neutral Axis load introduction IP68/69k load cells HDPE Deck: <ul style="list-style-type: none"> Deck is made of High Density Poly Ethylene (HDPE) Is naturally water and heat resistant Corrosion resistant Available in alternative thickness
	Description	The Aegis, low profile floor scale design with a removable ½" thick HDPE removable deck that adds the ability to easily remove the deck for cleaning, holds or can be replaced when used in strong chemical environments.	
	Capacities & Sizes	30" x 30" to 5' x 5' 1,000 lbs. or 5,000 lbs.	
	Target Applications	Applications looking for an above ground lift deck scale, Environments that need to be able to easily clean out under the scale, Light "washdown" environments, Strong Chemicals	




Aegis Stainless Steel Floor Scales with HDPE Removable Deck

Product #	Description	Capacity	Length	Width	Weight	List Price
SB10953	AEGIS SS 30" x 30"; 1,000 LB with HDPE Removable Deck	1,000	30"	30"	lbs	\$4,321.00
SB10954	AEGIS SS 3' x 3'; 1,000 LB with HDPE Removable Deck	1,000	3'	3'	lbs	\$4,463.00
SB10955	AEGIS SS 3' x 3'; 2,500 LB with HDPE Removable Deck	2,500	3'	3'	lbs	\$4,463.00
SB10956	AEGIS SS 4' x 4'; 2,500 LB with HDPE Removable Deck	2,500	4'	4'	lbs	\$5,683.00
SB10957	AEGIS SS 4' X 4'; 5,000 LB with HDPE Removable Deck	5,000	4'	4'	lbs	\$5,683.00
SB10959	AEGIS SS 4' x 5'; 5,000 LB with HDPE Removable Deck	5,000	4'	5'	lbs	\$6,645.00
SB10961	AEGIS SS 4' x 6'; 5,000 LB with HDPE Removable Deck	5,000	4'	6'	lbs	\$8,759.00
SB10963	AEGIS SS 5' x 5'; 5,000 LB with HDPE Removable Deck	5,000	5'	5'	lbs	\$7,746.00

NEW - Aegis Mild Steel Portability Frame Options


Aegis Portability Frame

Fairbanks' Aegis Mild Steel Portability Frame provides a convenient way for customers to safely move their Fairbanks' Aegis Mild Steel Floor Scale with a standard forklift. The floor scale sits inside the portability frame. Once a forklift operator inserts the forks into the frame's integrated fork channels, the scale system may be safely lifted and relocated. The fork channels provide needed stability protecting property and people while the scale is being moved, and the carbon steel construction ensures years of dependable use, even in the most rugged environments.



Fairbanks' Aegis Portability Frame offers a safe and cost-effective way to bring mobile flexibility to floor scale weighing operations. Designed with integrated fork channels, the frame provides an easy way to move your scale from location-to-location via forklift. The frame's durable, all carbon steel construction ensures years of dependable use, even in the most rugged environments.

Dimensions	Measurements for	
	4' X 4' Scale	5' X 5' Scale
A	51.50"	63.50"
B	51.50"	63.50"
C	3.50"	3.50"
D	6.25"	6.25"
E	23.00"	23.00"
Fork Channels	5.91" x 1.88"	5.91" x 1.88"



An optional sturdy, mild steel, 48" Instrument Pedestal bolts securely to the Aegis Mild Steel Portability Frame and accommodates all standard Fairbanks instruments that utilize a desk/wall mount bracket. The pedestal instrument mount will also accept most non-Fairbanks instruments that utilize a desk/wall mount type bracket. In some cases, additional mounting holes will need to be drilled to accommodate those instruments.

The entire scale system including the attached pedestal and instrument may be moved easily as a unit making relocation a quick and simple process.

Note: The pedestal is sold separately as an accessory.

What floor scales, sizes, and capacities can the Aegis Mild Steel Portability Frame accommodate?

The portability frame is available for use with the 4'x 4' or 5' x 5' Aegis Mild Steel Floor Scale with capacities ranging from 1,000 to 10,000 lbs.

Are non-standard sizes and capacities available?

Some customer applications may require a footprint or capacity not listed above; custom configurations are available through the [Solutions Group](#).

What is the construction of the Aegis Mild Steel Portability Frame?

The Aegis Mild Steel Portability Frame is constructed entirely from A36 industrial-grade carbon steel with a gray acrylic enamel painted finish. It is durable and rugged enough to ensure years of dependable use and is built to withstand the bumps and knocks characteristic of industrial environments where forklifts and other machinery are in use.

Are other finishes and materials available?

As previously mentioned, the standard Aegis Mild Steel Portability Frame is made of mild steel with a gray acrylic enamel painted finish. Some customer applications may require non-standard finishes or stainless steel. If you encounter a situation where a non-standard finish or stainless steel is needed, please submit a request through the [Solutions Group](#).

Aegis Mild Steel Portability Frame for Mild Steel Floor Scales

Product #	Description	Weight	List Price
177500	Aegis 4' X 4' Mild Steel Portability Frame (for use with 2.5k, 5k & 10k 4'x4' Aegis MS Floor Scales)	200 lbs	\$1,174.00
177514	Aegis 5' X 5' Mild Steel Portability Frame (for use with 2.5k, 5k & 10k 5'x5' Aegis MS Floor Scales)	235 lbs	\$1,204.00
Optional Pillar / Pedestal Mount for Instrument			
177517	48" Pilar/Pedestal with Instrument Mounting Bracket		\$231.00



List of Standard Floor Scale Modifications

Standard Floor Scale Modifications

	<i>Aegis Mild Steel</i>	<i>Aegis SS</i>	<i>Aegis HC</i>	<i>Aegis Xtreme Duty</i>	<i>Lift Deck</i>	<i>Transport MS</i>	<i>Aegis MS Drum Scale</i>	<i>Aegis MS Drum Scale w/ backstop</i>
Non-Standard Dimensions	X	X	X					
Smooth Deck	X	X	X		X			
Hermitically sealed load cell	X					X	X	X
ACC 2801 IS Controller	X	X	X	X	X		X	X
ACC 2802 IS Controller	X	X	X	X	X		X	X
Non-Standard Ramp Dimensions	X	X	X					
Non-Standard Pit Frame Dimensions	X	X	X					
Non-Standard Bumper Guard Dimensions	X	X						
Built-in Lifting Handles	X	X						
Ramp with Smooth Surface	X	X	X					
Lower Capacity Load Cells w/ special serial tag	X	X						
Potted Load Cells w/ Blind Hole	X	X						
Welded Covers & Threaded Load Cell Ball-in-Cup foot	X	X						
Replace existing knuckle ball foot w/ stainless steel threaded ball-in-cup foot	X							
Replace existing serial tag w/ multi-interval serial tag	X	X	X		X			
QLC ACC-3300 Adder	X	X	X	X	X	X*	X*	X*

* Available through a Solutions Request

Scale modifications may be on separate item numbers, confirm item number at the back of the catalog or on the Nexus platform
(see the back floor scale modifications section of the catalog or the Nexus platform for more information on each modification)

Aegis Line Overview

Floor Scale Model	General Description	Capacities & Sizes	Target Applications
Aegis	Floor scale – SS & Mild Steel	1000# - 10,000# 30" x 30" thru 6' x 8' Standard	Warehousing, Filling, Lawn & Garden Supply, General Industrial
Aegis Lift Deck	SS Floor scale with "liftable" decking	1000# - 10,000# 3' x 3' thru 5' x 5'	Food and Chemical Markets where cleanability is critical
Aegis HC	Robust Mild Steel Floor Scale	20,000# 4' x 4' thru 6' x 8'	Fork Truck or Heavy Warehousing
Aegis Xtreme	Just like the name implies	20,000# - 60,000# 4' x 4' thru 6' x 8'	Heavy Capacity Fork Truck or Large Container
Aegis Coil Scale	Extreme duty mild steel floor scale designed for steel industry	30,000#, 50,000#, and 80,000# capacities 4' x 4' thru 10' x 10'	Metal coil weighing (also, billets, cable rolls, castings, etc.)
Aegis Drum Scale	Low Profile Drum Scale with Live rails and integral pillar (optional)	500#, 1000#, 2500#, or 5000# 30" x 30" & 38" x 38"	Food & Beverage, Chemical, Textile, Scrap & Recycling, Filling
Aegis Transport Scale	Ideal Scale where mobility is key – appropriate for drums	500#, 1000#, 2000#, or 2500# 24" x 30" platform	Drum Weighing, Warehousing, Food & Beverage – anywhere that requires portability



Aegis Mild Steel Floor Scale Packages

AEGIS Industrial Mild Steel Floor Scale Packages

AEGIS 2.5K Floor Scale Packages

Product #	Description	Capacity	Length	Width	Instrument	Weight	List Price
38394	AEGIS 4' x 4', 2.5k Pkg w/ FB1200 Resin Alloy (AC power)	2,500	4'	4'	FB1200 RA	450 lbs.	\$3,036.00
• One (1) 63608	AEGIS MS 4'x 4' 2500 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 38041	FB1200 RESIN ALLOY ENCLOSURE, AC POWERED						
38395	AEGIS 4' x 4', 2.5k Pkg w/ FB1200 Stainless Steel (AC power)	2,500	4'	4'	FB1200 SS	450 lbs.	\$3,262.00
• One (1) 63608	AEGIS MS 4'x 4' 2500 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 38009	FB1200 STAINLESS STEEL ENCLOSURE, AC POWERED						
35325	AEGIS 4X4 2.5K & ABS FB2250	2,500	4'	4'	FB2250 ABS	450 lbs.	\$3,334.00
• One (1) 63608	AEGIS MS 4'x 4' 2500 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 29250	FB2250 INSTRUMENT, (AC) ABS						
35326	AEGIS 4X4 2.5K & SS FB2250	2,500	4'	4'	FB2250 SS	450 lbs.	\$3,869.00
• One (1) 63608	AEGIS MS 4'x 4' 2500 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 29251	FB2250 INSTRUMENT, SS NEMA4X AC						

AEGIS 5K Floor Scale Packages

Product #	Description	Capacity	Length	Width	Instrument	Weight	List Price
38396	AEGIS 4' x 4', 5k Pkg w/ FB1200 Resin Alloy (AC power)	5,000	4'	4'	FB1200 RA	450 lbs.	\$3,036.00
• One (1) 63609	AEGIS MS 4'x 4' 5000 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 38041	FB1200 RESIN ALLOY ENCLOSURE, AC POWERED						
38397	AEGIS 4' x 4', 5k Pkg w/ FB1200 Stainless Steel (AC power)	5,000	4'	4'	FB1200 SS	450 lbs.	\$3,262.00
• One (1) 63609	AEGIS MS 4'x 4' 5000 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 38009	FB1200 STAINLESS STEEL ENCLOSURE, AC POWERED						
93798	AEGIS 4X4 5K & ABS FB2250 PKG	5,000	4'	4'	FB2250 ABS	450 lbs.	\$3,334.00
• One (1) 63609	AEGIS MS 4'x 4' 5000 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 29250	FB2250 INSTRUMENT, (AC) ABS						
93799	AEGIS 4X4 5K & SS FB2250 PKG	5,000	4'	4'	FB2250 SS	450 lbs.	\$3,869.00
• One (1) 63609	AEGIS MS 4'x 4' 5000 LB						
• One (1) 25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)						
• One (1) 29251	FB2250 INSTRUMENT, SS NEMA4X AC						



Aegis Mild Steel Floor Scale Accessories (Ramps, Bumper Guards, Pit Frames & Hardware)

Aegis Mild Steel Accessories

Mild Steel Ramps

Product #	Description	Length	Width	Height	Incline	Shipping Weight	List Price
64058	30" MS RAMP W/INTEGRAL BOLT	30"	30"	3"	5°	150 lbs	\$599.00
63751	3' MS RAMP W/INTEGRAL BOLT	36"	30"	3"	5°	200 lbs	\$639.00
63753	4' MS RAMP W/INTEGRAL BOLT DOW	48"	30"	3"	5°	225 lbs	\$739.00
63755	5' MS RAMP W/INTEGRAL BOLT	60"	30"	3"	5°	300 lbs	\$795.00
64060	6' MS RAMP W/INTEGRAL BOLT	72"	30"	3"	5°	350 lbs	\$874.00
86467	48" X 48" MS CFP RAMP	48"	48"	3"	3.5°	300 lbs	\$889.00
154033	60" MS RAMP W/INTEGRAL BOLT	60"	48"	3"	3.5°	350 lbs	\$939.00

• Price includes a single ramp, two (2) integral bolt-down plates, and four (4) anchor bolts.

Mild Steel Bumper Guards

Product #	Description	Length	Shipping Weight	List Price
72198	AEGIS 3' BUMPER GUARD MILD STEEL	3'	100 lbs	\$243.00
72194	AEGIS 4' BUMPER GUARD MILD STEEL	4'	125 lbs	\$273.00
72190	AEGIS 5' BUMPER GUARD MILD STEEL	5'	135 lbs	\$323.00
72196	AEGIS 6' BUMPER GUARD MILD STEEL	6'	180 lbs	\$364.00
72192	AEGIS 7' BUMPER GUARD MILD STEEL	7'	190 lbs	\$438.00
72200	AEGIS 8' BUMPER GUARD MILD STEEL	8'	245 lbs	\$507.00

• Price includes bumper guards and wedge anchors.

Mild Steel Pit Frames

Product #	Description	Length	Width	Shipping Weight	List Price
82908	AEGIS 30" X 30" PIT FRAME MILD STEEL	30"	30"	70 lbs	\$526.00
63757	AEGIS 3' x 3' PIT FRAME MILD STEEL	3'	3"	80 lbs	\$579.00
63759	AEGIS 4' X 4' PIT FRAME MILD STEEL	4'	4"	100 lbs	\$616.00
63761	AEGIS 4' X 5' PIT FRAME MILD STEEL	4'	5"	120 lbs	\$628.00
63763	AEGIS 4' X 6' PIT FRAME MILD STEEL	4'	6"	150 lbs	\$683.00
63765	AEGIS 5' x 5' PIT FRAME MILD STEEL	5'	5"	160 lbs	\$683.00
63767	AEGIS 5' x 7' PIT FRAME MILD STEEL	5'	7"	210 lbs	\$787.00
64062	AEGIS 6' x 8' PIT FRAME MILD STEEL	6'	8"	300 lbs	\$876.00

Mild Steel Hardware

Product #	Description	Base Length	Base Width	Pole Height	Shipping Weight	List Price
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	14"	16"	41"	51 lbs	\$405.00
63776	MS BOLT DOWN PLATE (1 SET OF 4) WITH ANCHOR BOLTS				6 lbs	\$103.00
63778	MS BOLT DOWN PLATE (1 SET OF 2) WITH ANCHOR BOLTS				3 lbs	\$53.00
70895	EYEBOLTS SET OF 2 (MILD STEEL), 1/2" - 13 UNC X 3/4" THREADS, SET OF TWO (2)				1 lbs	\$42.00



Aegis Stainless Steel Floor Scale Accessories (Ramps, Bumper Guards, Pit Frames & Hardware)

Aegis Stainless Steel Accessories

Stainless Steel Ramps

Product #	Description	Length	Width	Height	Incline	Shipping Weight	List Price
64059	30"x30"x3" SS FLOOR SCALE RAMP	30"	30"	3"	5°	150 lbs	\$1,762.00
63752	3'x30"x3" SS FLOOR SCALE RAMP	36"	30"	3"	5°	200 lbs	\$1,896.00
63754	4' x30"x3" SS FLOOR SCALE RAMP	48"	30"	3"	5°	225 lbs	\$2,085.00
63756	5'x30"x3" SS FLOOR SCALE RAMP	60"	30"	3"	5°	300 lbs	\$2,210.00
64061	6'x30"x3" SS FLOOR SCALE RAMP	72"	30"	3"	5°	350 lbs	\$2,675.00
27868	4'x 4'x 3" SS FLOOR SCALE RAMP	48"	48"	3"	3.5°	300 lbs	\$2,785.00
81522	5'x4'x3" SS FLOOR SCALE RAMP	60"	48"	3"	3.5°	350 lbs	\$3,135.00

• Price includes a single ramp, two (2) integral bolt-down plates, and four (4) anchor bolts.

Stainless Steel Bumper Guards

Product #	Description	Length	Shipping Weight	List Price
72199	AEGIS 3' BUMPER GUARD STAINLESS STEEL	3'	100 lbs	\$1,503.00
72195	AEGIS 4' BUMPER GUARD STAINLESS STEEL	4'	125 lbs	\$1,640.00
72191	AEGIS 5' BUMPER GUARD STAINLESS STEEL	5'	135 lbs	\$1,741.00
72197	AEGIS 6' BUMPER GUARD STAINLESS STEEL	6'	180 lbs	\$1,795.00
72193	AEGIS 7' BUMPER GUARD STAINLESS STEEL	7'	190 lbs	\$1,898.00
72201	AEGIS 8' BUMPER GUARD STAINLESS STEEL	8'	245 lbs	\$2,050.00

• Price includes bumper guards and wedge anchors.

Stainless Steel Pit Frames

Product #	Description	Length	Width	Shipping Weight	List Price
23557	AEGIS 30" x 30" PIT FRAME STAINLESS STEEL	30"	30"	75 lbs	\$1,533.00
63758	3'X 3' AEGIS PIT FRAME STAINLESS STEEL	3'	3"	80 lbs	\$1,668.00
63760	4'X 4' AEGIS PIT FRAME STAINLESS STEEL	4'	4"	100 lbs	\$2,598.00
63762	AEGIS 4' X 5' PIT FRAME STAINLESS STEEL	4'	5"	120 lbs	\$2,957.00
63764	AEGIS 4' X 6' PIT FRAME STAINLESS STEEL	4'	6"	150 lbs	\$2,998.00
63766	AEGIS 5'X 5' PIT FRAME STAINLESS STEEL	5'	5"	160 lbs	\$3,470.00
63768	AEGIS 5' X 7' PIT FRAME STAINLESS STEEL	5'	7"	210 lbs	\$3,896.00
64063	AEGIS 6' X 8' PIT FRAME STAINLESS STEEL	6'	8"	300 lbs	\$4,306.00

Stainless Steel Hardware

Product #	Description	Base Length	Base Width	Pole Height	Shipping Weight	List Price
28397	AEGIS STAINLESS STEEL STAND-ALONE INSTRUMENT PILLAR	14"	16"	41"	51 lbs	\$658.00
63777	1 SET OF STAINLESS-STEEL BOLT DOWN PLATES (SET OF 4)				6 lbs	\$140.00
63779	1 SET OF STAINLESS-STEEL BOLT DOWN PLATE (SET OF 2)				3 lbs	\$82.00
70896	EYEBOLT HOLE PLUGS, STAINLESS STEEL, SET OF TWO (2) WITH 1/4" RECESSED HEX HEAD				1 lbs	\$26.00



Aegis Lift Deck Scale

Aegis Lift Deck Scale				
Aegis Lift Deck	Model		<p>These are industrial scales and will provide years of reliable service in the harshest environments. Developed using principles of sanitary design, the Aegis Lift Deck is the ultimate floor scale for easy maintenance and food safety.</p> <ul style="list-style-type: none"> • Easy lifting deck & easy to clean • Stainless floor scale • Sanitary design • Intrinsically Safe • Stainless steel pit frame integrated into the scale • NTEP, FM & MC Approved 	
Aegis Lift Deck Floor Scales are designed for use in flush grade, high-volume food and chemical processing applications where product safety is critical.				Description
1,000 – 10,000 lbs 3' x 3', 4' x 4' or 5' x 5'				Capacities & Sizes
Petrochemical, Pharmaceutical, Food & Beverage or any heavy washdown application				Target Applications
Specifications:		Load Cell Specifications:		
Platform	1/4" thick deck with safety tread	Cable	Shielded, 4 conductor	
Platform Height	6" nominal on all models	Protection Rating	IP69K	
Overload Capacity	150% of rated scale capacity	Load Cell Construction	17-4 Stainless Steel	
Endloading	100% of rated scale capacity	Sealing	True Hermetic Seal	
Humidity	100%, Suitable for water washdown	Rated Output	2.0 mV/V, +/- 0.015	
Cable Length	30' standard (Analog)	Output Resistance	1,000 ohms, +/- 1 ohm	
Deck Construction	Type 304 PH Stainless Steel	Ultimate Overload (FSO)	300%	
Finish	Orbital Polish	Safe Overload (FSO)	200%	
Lift Assist Springs	Two (2), 316 SS Nitrogen Charged	NTEP CC	04-102	
NTEP	5000 d	FM Approved	Yes	

INCLUDES SCALE PLATFORM & PIT-FRAME

Stainless steel lift deck treaded platform, stainless steel pit frame, stainless steel "true" hermetically sealed load cells, remote mounted stainless-steel J-box, and 30-foot pre-wired homerun cable

Aegis Lift Deck Scale

Product #	Description	Capacity	Length	Width	NTEP	MC Approved	Weight	List Price
93653	AEGIS LIFTDECK 3X3, 1000 LB	1,000	3'	3'	Yes	None	330 lbs	\$9,943.00
93654	AEGIS LIFT DECK 3X3, 2500 LB.	2,500	3'	3'	Yes	None	330 lbs	\$9,943.00
93655	AEGIS LIFTDECK 4X4, 2500 LB.	2,500	4'	4'	Yes	None	505 lbs	\$11,617.00
93656	AEGIS LIFTDECK 4X4, 5000 LB.	5,000	4'	4'	Yes	5000 d	505 lbs	\$11,617.00
93657	AEGIS LIFT DECK 4X4, 10,000 LB	10,000	4'	4'	Yes	None	505 lbs	\$12,724.00
93814	AEGIS SS LIFT DECK 4' X 6'; 2,500 LB	2,500	4'	6'	Yes	None	765 lbs	\$14,371.00
93814	AEGIS SS LIFT DECK 4' X 6'; 2,500 LB	2,500	4'	6'	Yes	None	765 lbs	\$14,371.00
93815	AEGIS SS LIFT DECK 4' X 6'; 5,000 LB	5,000	4'	6'	Yes	None	765 lbs	\$14,371.00
93816	AEGIS SS LIFTDECK 4' X 6'; 10,000LB	1,000	4'	6'	Yes	None	765 lbs	\$15,493.00
93658	AEGIS LIFT DECK 5X5, 2500 LB	2,500	5'	5'	Yes	None	810 lbs	\$14,432.00
93659	AEGIS LIFT DECK 5 X 5, 5000 LB	5,000	5'	5'	Yes	5000 d	810 lbs	\$14,432.00
93660	AEGIS LIFT DECK 5X5, 10,000 LB	10,000	5'	5'	Yes	None	810 lbs	\$17,654.00


Aegis Lift Deck Floor Scale Modifications:

- Smooth Deck
- ACC 2801 IS Controller
- ACC 2802 IS Controller

NOTES: Upon request, pit frame can ship prior to the platform

See the floor scale modifications section or Nexus platform for standard modifications, pricing & factory services

Aegis Heavy Capacity Floor Scales

Aegis Heavy Capacity Scale			
	Model	Aegis HC	
	Description	Aegis Heavy Capacity floor scales are specifically designed for weighing large loads in nearly any environment and can handle "big jobs" with ease.	
	Capacities & Sizes	20,000 lbs 4' x 4' to 6' x 8'	
	Target Applications	Skid steers, small forklifts or vessels	
		Aegis HC Features: <ul style="list-style-type: none"> • Platform height of only 5 ½ inches. • Top Access – J-box and leveling • Lifting eyes available • Optional factory calibration • Durable design • ¼" thick deck plate with diamond safety tread • A complete list of standard product modifications is available, including, but not limited to smooth platform, special sizes, lifting handles, and many more. 	
Specifications:		Load Cell Specifications:	
Platform	3/8" thick deck with safety tread	Cable	4 conductor with PVC Jacket
Platform Height	5.5" nominal on all models	Protection Rating	IP67
Capacity	20,000 lbs	Load Cell Construction	Alloy Tool Steel
Overload Capacity	150% of rated scale capacity	Rated Output	3.0 mV/V, +/- 0.25%
Endloading	100% of rated scale capacity	Output Resistance	350 ohms, +/- 5 ohm
Humidity	0 to 95% non-condensing	Ultimate Overload (FSO)	300%
Cable Length	30' standard (Analog)	Safe Overload (FSO)	150%
Deck Construction	Type A36 Carbon Steel	NTEP CC	95-172
Paint	Gray Acrylic Enamel	FM Approved	Yes
NTEP	5000 d		

Aegis Heavy Capacity Floor Scales

Product #	Description	Length	Width	Shipping Weight	List Price
64096	AEGIS HC 4'x 4' 20,000 LB	4'	4'	605 lbs	\$5,239.00
64095	AEGIS HC 5'x 5' 20,000 LB	5'	5'	870 lbs	\$6,350.00
64093	AEGIS HC 5'x 7' 20,000 LB	5'	7'	1200 lbs	\$7,141.00
64094	AEGIS HC 6'x 8' 20,000 LB	6'	8'	1775 lbs	\$7,936.00

Product #	Description	Length	Width	Height	Incline	Shipping Weight	List Price
64153	AEGIS 6200 SER HEAVY CAP RAMP - 48"x48"x 5.5"	48"	48"	5.5"	6.5°	275 lbs	\$1,395.00
64111	AEGIS 6200 SER HEAVY CAP RAMP - 60"x 48" x 5.5"	60"	60" (or 84")	5.5"	6.5°	350 lbs	\$1,595.00
64112	AEGIS 6200 SER HEAVY CAP RAMP - 72" x 48" x 5.5"	72"	96"	5.5"	6.5°	500 lbs	\$1,695.00

Product #	Description	Length	Width	Shipping Weight	List Price
64152	AEGIS HC 4 X 4 PIT FRAME - MILD STEEL	4'	4'	150 lbs	\$616.00
64142	AEGIS HC 5 X 5 PIT FRAME - MILD STEEL	5'	5'	210 lbs	\$695.00
64138	AEGIS HC 5 X 7 PIT FRAME - MILD STEEL	5'	7'	260 lbs	\$849.00
64139	AEGIS HC 6 X 8 PIT FRAME - MILD STEEL	6'	8'	350 lbs	\$1,080.00

		Base Width	Base Length	Pillar Height	Shipping Weight	List Price
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included - Hardware to mount instrument is included	14	16'	41'	51 lbs	\$405.00
64144	BOLT DOWN PLATE (SET OF 2) - WITH ANCHOR BOLTS				7 lbs	\$63.00
64143	BOLT DOWN PLATES - SET OF 4 WITH ANCHOR BOLTS				4 lbs	\$110.00
81832	AEGIS HC LIFTING EYEBOLT - SET OF 2				2 lbs	\$44.00
88600	AEGIS HC SS EYEBOLT HOLE PLUG - SET OF 2				1 lbs	\$26.00



Aegis Xtreme Duty

Aegis Xtreme Duty Scale

Aegis Xtreme Duty	Model
Aegis Xtreme Duty floor scales are designed to handle applications with highly concentrated loads. These rugged and dependable scales greatly reduce material handling costs and outweigh any competitive offering in both commercially approved division sizes and capacities.	Description
20,000 - 40,000 - 60,000 lbs 4' x 4' to 6' x 8'	Capacities & Sizes
Large fork lifts, high point loads and extremely rugged applications	Target Applications
<ul style="list-style-type: none"> • High-grade protective enamel and urethane coating. • 1/4" to 1/2" thick deck plate. • Diamond safety tread for skid resistance. • Quick access panel to load cell connections. • Scale-in-a-frame design for easy installation. • NTEP and Factory Mutual approved Rocker Column load cells. • NTEP approved platform. • Concentrated load design • Non-directional forklift traffic 	



Specifications:


Aegis Xtreme Duty Specifications		LOAD CELL SPECIFICATIONS	
Platform Height	8" to 9"	Cable Length	Shielded, 4 conductor
Overload Capacity	150% of rated scale capacity	Protection Rating	IP69K
Endloading	100% of rated scale capacity	Load Cell Construction	17-4 pH Stainless Steel
Cable Length	30' standard (analog)	Sealing	True Hermetic Seal
Deck Construction	Type A36 carbon steel	Rated Output	2.0 mV/V
Paint	Red acrylic urethane	Output Resistance	1000 ohms
NTEP	6000 d	Ultimate Overload (FSO)	300%
		NTEP CC	07-037
		FM Approved	YES

Aegis Xtreme Duty Scales Pricing

Aegis Xtreme Duty Scales							
AEGIS XTREME-DUTY, ABOVE GROUND							
Product #	Description	Length	Width	Capacity	Approvals	Weight	List Price
108400	AEGIS XTREME-DUTY -- 4' X 4'- 20K	4'	4'	20,000 lbs.	NTEP	1150 lbs	\$13,150.00
108401	AEGIS XTREME-DUTY -- 4' X 8' - 20K	4'	8'	20,000 lbs.	NTEP	1750 lbs	\$15,226.00
107979	AEGIS XTREME-DUTY -- 5' X 5'- 20K	5'	5'	20,000 lbs.	NTEP	1450 lbs	\$13,841.00
108402	AEGIS XTREME-DUTY -- 6' X 6', 20K	6'	6'	20,000 lbs.	NTEP	1900 lbs	\$15,947.00
108403	AEGIS XTREME-DUTY -- 6' X 8', 20K	6'	8'	20,000 lbs.	NTEP	2200 lbs	\$17,606.00
108404	AEGIS XTREME-DUTY -- 6' X 6', 40K	6'	6'	40,000 lbs.	NTEP/MC	2050 lbs	\$17,994.00
106966	AEGIS XTREME-DUTY -- 6' X 8'- 40K	6'	8'	40000 lbs.	NTEP/MC	1150 lbs	\$20,072.00
108409	AEGIS XTREME-DUTY -- 6' X 6', 60K	6'	6'	60,000 lbs.	NTEP/MC	2350 lbs	\$20,072.00
108410	AEGIS XTREME-DUTY -- 6' X 8', 60K	6'	8'	60,000 lbs.	NTEP/MC	2800 lbs	\$22,840.00
AEGIS XTREME-DUTY, PIT VERSION							
Product #	Description	Length	Width	Capacity	Approvals	Weight	List Price
108440	AEGIS XTREME-DUTY W/ PIT FRAME -- 4' X 4'- 20K	4'	4'	20,000 lbs.	NTEP	1170 lbs	\$13,334.00
108441	AEGIS XTREME-DUTY W/ PIT FRAME -- 4' X 8' - 20K	4'	8'	20,000 lbs.	NTEP	1770 lbs	\$15,419.00
108442	AEGIS XTREME-DUTY W/ PIT FRAME -- 5' X 5'- 20K	5'	5'	20,000 lbs.	NTEP	1470 lbs	\$14,067.00
108443	AEGIS XTREME-DUTY W/ PIT FRAME -- 6' X 6' - 20K	6'	6'	20,000 lbs.	NTEP	1920 lbs	\$16,182.00
108444	AEGIS XTREME-DUTY W/ PIT FRAME -- 6' X 8' - 20K	6'	8'	20,000 lbs.	NTEP	2220 lbs	\$17,849.00
108445	AEGIS XTREME-DUTY W/ PIT FRAME -- 6' X 6' - 40K	6'	6'	40000 lbs.	NTEP/MC	2070 lbs	\$17,444.00
108446	AEGIS XTREME-DUTY W/ PIT FRAME -- 6' X 8' - 40K	6'	8'	40,000 lbs.	NTEP/MC	2470 lbs	\$20,310.00
108451	AEGIS XTREME-DUTY W/ PIT FRAME -- 6' X 8' - 60K	6'	8'	60000 lbs.	NTEP/MC	2370 lbs	\$24,878.00
108452	AEGIS XTREME-DUTY W/ PIT FRAME -- 8' X 8' - 60K	8'	8'	60000 lbs.	NTEP/MC	2820 lbs	\$26,961.00
Aegis Xtreme Duty Ramps							
Product #	Description	Width	Length	Tall	Approvals	Weight	List Price
108413	AEGIS XTREME-DUTY 4' RAMP	48"	59"	8"	7.7°	400 lbs	\$3,396.00
107988	AEGIS XTREME-DUTY 5' RAMP	60"	59"	8"	7.7°	500 lbs	\$3,940.00
107307	AEGIS XTREME-DUTY 6' RAMP	72"	59"	8"	7.7°	550 lbs	\$5,977.00
108415	AEGIS XTREME-DUTY 8' RAMP	96"	59"	8"	7.7°	700 lbs	\$7,471.00
Pillar Option							
Product #	Description	Base Width	Base Length	Pillar Height	Weight	List Price	
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	14"	16"	41"	51 lbs	\$405.00	



Aegis Coil Scales

Aegis Coil Scale			
	Model	Aegis Coil Scale	
	Description	Aegis® Coil Scales are designed to outperform and outlast similar offerings in the market. It is ideal for weighing steel, aluminum and copper coils, as well as billets, castings and cable spools.	
	Capacities & Sizes	30,000 – 50,000 – 80,000 lbs 4' x 4' to 10' x 10'	
	Target Applications	Coils, Spools or Impact loading	
Fairbanks' Aegis® Coil Scale offers more built-in protection measures than any other coil scale manufactured. These measures include: <ul style="list-style-type: none"> • Half-inch thick plate material to reinforce the weighing surface. • Overload protection rating of 300 percent. • Side load protection rating of 100 percent. • Patented Rocker Column load cells with the highest ingress protection available (IP69K). • Inboard checking • Overload protection 300% • Optional cradle available as an accessory • NTEP, FM & MC Approved 			
Specifications:		Load Cell Specifications:	
Platform Height	12" to 16"	Load Cells	Rocker Column
Overload Capacity	150% of rated scale capacity	Load Cell Capacity	15,000 to 150,000 lbs
Endloading	100% of rated scale capacity	Load Cell Construction	Stainless-Steel, 17-4 PH, True Hermetically Sealed
Cable	PVC Jacketed cable, 30'	Load Cell Protection	IP69K
Deck Construction	Type A36 Carbon Steel	Bridge Resistance	1,000 Ohm
Paint	Red Acrylic Urethane	Output Resistance	2.0 mV/V
NTEP	Class III 6000d	Load Cell Height	3.5"
		Interface Cable	Polyurethane, 15'
		Excitation Voltage	5 to 15 VDC
		Ultimate Overload (FSO)	300% of rated capacity
		NTEP CC	07-037
		FM Approved	Yes

Aegis Coil Scales

Product #	Description	Length	Width	Capacity	NTEP	MC Approved	Weight	List Price
108417	AEGIS 4' X 4' 30K COIL SCALE	4'	4'	30000 lbs	Yes	No	900 lbs	\$13,394.00
108428	AEGIS 5' X 5' 30K COIL SCALE	5'	5'	30000 lbs	Yes	No	1050 lbs	\$15,506.00
108219	AEGIS 6' X 6' 30K COIL SCALE	6'	6'	30000 lbs	Yes	Yes	1300 lbs	\$17,201.00
108419	AEGIS 4' X 6' 50k COIL SCALE	4'	6'	50000 lbs	Yes	Yes	1400 lbs	\$15,649.00
108214	AEGIS 5' x 7' 50k COIL SCALE	5'	7'	50000 lbs	Yes	Yes	1750 lbs	\$17,339.00
108247	AEGIS 6' X 6' 50k COIL SCALE	6'	6'	50000 lbs	Yes	Yes	1800 lbs	\$19,597.00
108420	AEGIS 6' X 8' 50K COIL SCALE	6'	8'	50000 lbs	Yes	Yes	2200 lbs	\$23,686.00
108249	AEGIS 8' x 8' 80k COIL SCALE	8'	8'	80000 lbs	Yes	Yes	3050 lbs	Request Quote
108421	AEGIS 8' X 10' 50k COIL SCALE	8'	10'	80000 lbs	Yes	Yes	3600 lbs	Request Quote
108422	AEGIS 10' X 10' 50k COIL SCALE	10'	10'	80000 lbs	Yes	Yes	4100 lbs	\$29,633.00

Aegis Coil Scale Accessories


Product #	Description	Length	Width	Weight	List Price	
144676	AEGIS COIL CRADLE FOR 30" X 33" SCALE	2'9"	2'6"	60 lbs	\$1,419.00	
144677	AEGIS COIL CRADLE FOR 4' SCALE	2'9"	3'6"	80 lbs	\$1,800.00	
144678	AEGIS COIL CRADLE FOR 6' SCALE	2'9"	4'6"	100 lbs	\$2,003.00	
145044	AEGIS COIL CRADLE FOR 8' SCALE	2'9"	6'6"	140 lbs	\$2,837.00	
145045	AEGIS COIL CRADLE FOR 10' SCALE	2'9"	8'6"	180 lbs	\$3,295.00	
Product #	Description	Length	Width	Height	Weight	List Price
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	14"	16"	41"	51 lbs	\$405.00



Aegis Cart/Bin Scale

Aegis Cart/Bin Scale

Fairbanks' Aegis Cart/Bin Scales are built to weigh everything from laundry carts to wheeled cube trucks. This low-profile design is a low profile design and includes the built in back stop and the short profile ramp.



The Aegis Drum scales will change your expectation of how a drum scale should perform.

- Construction: Mild Steel
- Variety of specialized accessories
- Live side rails
- Low-profile (1 ½")
- Easy transition on 1 side of the scale and then an easy transition off the opposite side
- The backstop is a removable option if you want to open up the back end or add a ramp on the back as well.
- This scale prevents items from accidentally rolling off and acts as a stop
- NTEP, FM & MC Approved

Sizes & Capacities


500 & 1,000 lbs

20" x 30" to 40" x 28"

Call for information & Pricing

Aegis Drum Scales


Aegis Mild Steel Drum Scales

Aegis Drum Scale																																																																																																											
Aegis Drum Scale	Model	 <p>The Aegis Drum scales will change your expectation of how a drum scale should perform.</p> <ul style="list-style-type: none"> • Construction: Mild or stainless steel • Variety of specialized accessories • Live side rails • Low-profile (1 1/2") • Easy transition on 1 side of the scale and then an easy transition off the opposite side • This meets most application requirements, but we also offer a scale with a backstop which allows access on 1 side of the scale only • This scale prevents items from accidentally rolling off and acts as a stop • NTEP, FM & MC Approved 																																																																																																									
Fairbanks' Aegis Drum scales are designed to weigh drums and barrels, but they also feature live side rails to weigh a number of industrial container types, such as pallets, totes and bulk products.	Description																																																																																																										
500 to 2,500 lbs 30" x 30" & 38" x 38"	Capacities & Sizes																																																																																																										
Drums, Barrels & General Weighing	Target Applications																																																																																																										
Specifications:		Aegis Mild Steel Drum Scales																																																																																																									
<table border="1"> <thead> <tr> <th colspan="2">Aegis Mild Steel Drum Scale & Aegis Mild Steel Drum Scale w/ Backstop Specs:</th> </tr> </thead> <tbody> <tr> <td>Platform Size</td> <td>30" x 30"</td> </tr> <tr> <td>Overall Dimensions</td> <td>41" x 30" x 3"</td> </tr> <tr> <td>Platform Height</td> <td>1.5" Platform, 3" Side Rails</td> </tr> <tr> <td>Endloading</td> <td>100% on 2000 lbs capacity & below 80% on 2500 lbs capacity</td> </tr> <tr> <td>Cable</td> <td>30' PVC, Jacketed</td> </tr> <tr> <td>Construction</td> <td>Mild Steel Black Powder Coated</td> </tr> <tr> <td>Accessories</td> <td>Ramps, Pillars, Wheel Kits</td> </tr> <tr> <td>NTEP</td> <td>2500d on 500 lbs capacity 5000d on all other</td> </tr> <tr> <th colspan="2">LOAD CELL SPECIFICATIONS</th> </tr> <tr> <td>Load Cell Capacity</td> <td>500 lbs & 1000 lbs</td> </tr> <tr> <td>Accuracy</td> <td>5,000 d</td> </tr> <tr> <td>Load Cell Protection</td> <td>IP67</td> </tr> <tr> <td>Load Cell Construction</td> <td>17-4 PH Stainless Steel</td> </tr> <tr> <td>Rated Output</td> <td>2 mV/V +/- 0.002 FS</td> </tr> <tr> <td>Bridge Resistance</td> <td>1000 +/- 1 ohm</td> </tr> <tr> <td>Ultimate Overload (FSO)</td> <td>300% of FS</td> </tr> <tr> <td>Side Load (FSO)</td> <td>100% of FS</td> </tr> <tr> <td>NTEP CC</td> <td>06-065</td> </tr> <tr> <td>FM Approved</td> <td>YES</td> </tr> </tbody> </table>		Aegis Mild Steel Drum Scale & Aegis Mild Steel Drum Scale w/ Backstop Specs:		Platform Size	30" x 30"	Overall Dimensions	41" x 30" x 3"	Platform Height	1.5" Platform, 3" Side Rails	Endloading	100% on 2000 lbs capacity & below 80% on 2500 lbs capacity	Cable	30' PVC, Jacketed	Construction	Mild Steel Black Powder Coated	Accessories	Ramps, Pillars, Wheel Kits	NTEP	2500d on 500 lbs capacity 5000d on all other	LOAD CELL SPECIFICATIONS		Load Cell Capacity	500 lbs & 1000 lbs	Accuracy	5,000 d	Load Cell Protection	IP67	Load Cell Construction	17-4 PH Stainless Steel	Rated Output	2 mV/V +/- 0.002 FS	Bridge Resistance	1000 +/- 1 ohm	Ultimate Overload (FSO)	300% of FS	Side Load (FSO)	100% of FS	NTEP CC	06-065	FM Approved	YES	<table border="1"> <thead> <tr> <th colspan="4">Aegis Mild Steel Drum Scales</th> </tr> <tr> <th>Product #</th> <th>Description</th> <th>Weight</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>28374</td> <td>Aegis MS Drum Scale 30x30, 500 lbs</td> <td>180 lbs</td> <td>\$2,479.00</td> </tr> <tr> <td>28375</td> <td>Aegis MS Drum Scale 30x30, 1000 lbs</td> <td>180 lbs</td> <td>\$2,179.00</td> </tr> <tr> <td>28742</td> <td>Aegis MS Drum Scale 30x30, 2000 lbs</td> <td>180 lbs</td> <td>\$2,179.00</td> </tr> <tr> <td>28376</td> <td>Aegis MS Drum Scale 30x30, 2500 lbs</td> <td>180 lbs</td> <td>\$2,179.00</td> </tr> <tr> <td>28723</td> <td>Aegis MS Drum Scale 38x38, 500 lbs</td> <td>270 lbs</td> <td>\$2,668.00</td> </tr> <tr> <td>28724</td> <td>Aegis MS Drum Scale 38x38, 1000 lbs</td> <td>270 lbs</td> <td>\$2,368.00</td> </tr> <tr> <td>28746</td> <td>Aegis MS Drum Scale 38x38, 2000 lbs</td> <td>270 lbs</td> <td>\$2,368.00</td> </tr> <tr> <td>28725</td> <td>Aegis MS Drum Scale 38x38, 2500 lbs</td> <td>270 lbs</td> <td>\$2,368.00</td> </tr> </tbody> </table> <p>**Ramps, Pillars, Wheel Kits, Factory Calibration and Quick Disconnect options available on the product page on the Nexus platform</p> <table border="1"> <thead> <tr> <th colspan="4">Aegis Mild Steel Drum Scale with Backstop</th> </tr> <tr> <th>Product #</th> <th>Description</th> <th>Weight</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>33616</td> <td>AEGIS MS DRUM 30x30" 500 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$2,479.00</td> </tr> <tr> <td>33611</td> <td>AEGIS MS DRUM 30x30" 1000 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$2,179.00</td> </tr> <tr> <td>33617</td> <td>AEGIS MS DRUM 30x30" 2000 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$2,179.00</td> </tr> <tr> <td>33618</td> <td>AEGIS MS DRUM 30x30" 2500 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$2,179.00</td> </tr> </tbody> </table> <p>**Ramps, Pillars, Wheel Kits, Factory Calibration and Quick Disconnect options available on the product page on the Nexus platform</p>		Aegis Mild Steel Drum Scales				Product #	Description	Weight	List Price	28374	Aegis MS Drum Scale 30x30, 500 lbs	180 lbs	\$2,479.00	28375	Aegis MS Drum Scale 30x30, 1000 lbs	180 lbs	\$2,179.00	28742	Aegis MS Drum Scale 30x30, 2000 lbs	180 lbs	\$2,179.00	28376	Aegis MS Drum Scale 30x30, 2500 lbs	180 lbs	\$2,179.00	28723	Aegis MS Drum Scale 38x38, 500 lbs	270 lbs	\$2,668.00	28724	Aegis MS Drum Scale 38x38, 1000 lbs	270 lbs	\$2,368.00	28746	Aegis MS Drum Scale 38x38, 2000 lbs	270 lbs	\$2,368.00	28725	Aegis MS Drum Scale 38x38, 2500 lbs	270 lbs	\$2,368.00	Aegis Mild Steel Drum Scale with Backstop				Product #	Description	Weight	List Price	33616	AEGIS MS DRUM 30x30" 500 LBS W/ BACKSTOP	185 lbs	\$2,479.00	33611	AEGIS MS DRUM 30x30" 1000 LBS W/ BACKSTOP	185 lbs	\$2,179.00	33617	AEGIS MS DRUM 30x30" 2000 LBS W/ BACKSTOP	185 lbs	\$2,179.00	33618	AEGIS MS DRUM 30x30" 2500 LBS W/ BACKSTOP	185 lbs	\$2,179.00
Aegis Mild Steel Drum Scale & Aegis Mild Steel Drum Scale w/ Backstop Specs:																																																																																																											
Platform Size	30" x 30"																																																																																																										
Overall Dimensions	41" x 30" x 3"																																																																																																										
Platform Height	1.5" Platform, 3" Side Rails																																																																																																										
Endloading	100% on 2000 lbs capacity & below 80% on 2500 lbs capacity																																																																																																										
Cable	30' PVC, Jacketed																																																																																																										
Construction	Mild Steel Black Powder Coated																																																																																																										
Accessories	Ramps, Pillars, Wheel Kits																																																																																																										
NTEP	2500d on 500 lbs capacity 5000d on all other																																																																																																										
LOAD CELL SPECIFICATIONS																																																																																																											
Load Cell Capacity	500 lbs & 1000 lbs																																																																																																										
Accuracy	5,000 d																																																																																																										
Load Cell Protection	IP67																																																																																																										
Load Cell Construction	17-4 PH Stainless Steel																																																																																																										
Rated Output	2 mV/V +/- 0.002 FS																																																																																																										
Bridge Resistance	1000 +/- 1 ohm																																																																																																										
Ultimate Overload (FSO)	300% of FS																																																																																																										
Side Load (FSO)	100% of FS																																																																																																										
NTEP CC	06-065																																																																																																										
FM Approved	YES																																																																																																										
Aegis Mild Steel Drum Scales																																																																																																											
Product #	Description	Weight	List Price																																																																																																								
28374	Aegis MS Drum Scale 30x30, 500 lbs	180 lbs	\$2,479.00																																																																																																								
28375	Aegis MS Drum Scale 30x30, 1000 lbs	180 lbs	\$2,179.00																																																																																																								
28742	Aegis MS Drum Scale 30x30, 2000 lbs	180 lbs	\$2,179.00																																																																																																								
28376	Aegis MS Drum Scale 30x30, 2500 lbs	180 lbs	\$2,179.00																																																																																																								
28723	Aegis MS Drum Scale 38x38, 500 lbs	270 lbs	\$2,668.00																																																																																																								
28724	Aegis MS Drum Scale 38x38, 1000 lbs	270 lbs	\$2,368.00																																																																																																								
28746	Aegis MS Drum Scale 38x38, 2000 lbs	270 lbs	\$2,368.00																																																																																																								
28725	Aegis MS Drum Scale 38x38, 2500 lbs	270 lbs	\$2,368.00																																																																																																								
Aegis Mild Steel Drum Scale with Backstop																																																																																																											
Product #	Description	Weight	List Price																																																																																																								
33616	AEGIS MS DRUM 30x30" 500 LBS W/ BACKSTOP	185 lbs	\$2,479.00																																																																																																								
33611	AEGIS MS DRUM 30x30" 1000 LBS W/ BACKSTOP	185 lbs	\$2,179.00																																																																																																								
33617	AEGIS MS DRUM 30x30" 2000 LBS W/ BACKSTOP	185 lbs	\$2,179.00																																																																																																								
33618	AEGIS MS DRUM 30x30" 2500 LBS W/ BACKSTOP	185 lbs	\$2,179.00																																																																																																								



Aegis Stainless Steel Drum Scales

Specifications:	Pricing																																																																														
Aegis Stainless Steel Drum Scale & Aegis Stainless Steel Drum Scale w/ Backstop Specs:	Aegis Stainless Steel Drum Scales																																																																														
<table border="1"> <tr> <td>Platform Size</td> <td>30" x 30"</td> </tr> <tr> <td>Overall Dimensions</td> <td>41" x 30" x 3"</td> </tr> <tr> <td>Platform Height</td> <td>1.5" Platform, 3" Side Rails</td> </tr> <tr> <td>Endloading</td> <td>100% on 2000 lbs capacity & below 80% on 2500 lbs capacity</td> </tr> <tr> <td>Cable</td> <td>30' PVC, Jacketed</td> </tr> <tr> <td>Construction</td> <td>304PH Brushed Stainless Steel</td> </tr> <tr> <td>Accessories</td> <td>Ramps, Pillars, Wheel Kits</td> </tr> <tr> <td>NTEP</td> <td>2500d on 500 lbs capacity 5000d on all other</td> </tr> <tr> <td colspan="2" style="text-align: center;">LOAD CELL SPECIFICATIONS</td> </tr> <tr> <td>Load Cell Capacity</td> <td>500 lbs & 1000 lbs</td> </tr> <tr> <td>Accuracy</td> <td>5,000 d</td> </tr> <tr> <td>Load Cell Protection</td> <td>IP69K</td> </tr> <tr> <td>Load Cell Construction</td> <td>17-4 PH Stainless Steel</td> </tr> <tr> <td>Rated Output</td> <td>2 mV/V +/-0.002 FS</td> </tr> <tr> <td>Bridge Resistance</td> <td>1000 +/- 1 ohm</td> </tr> <tr> <td>Ultimate Overload (FSO)</td> <td>300% of FS</td> </tr> <tr> <td>Side Load (FSO)</td> <td>100% of FS</td> </tr> <tr> <td>NTEP CC</td> <td>04-102</td> </tr> <tr> <td>FM Approved</td> <td>YES</td> </tr> </table>	Platform Size	30" x 30"	Overall Dimensions	41" x 30" x 3"	Platform Height	1.5" Platform, 3" Side Rails	Endloading	100% on 2000 lbs capacity & below 80% on 2500 lbs capacity	Cable	30' PVC, Jacketed	Construction	304PH Brushed Stainless Steel	Accessories	Ramps, Pillars, Wheel Kits	NTEP	2500d on 500 lbs capacity 5000d on all other	LOAD CELL SPECIFICATIONS		Load Cell Capacity	500 lbs & 1000 lbs	Accuracy	5,000 d	Load Cell Protection	IP69K	Load Cell Construction	17-4 PH Stainless Steel	Rated Output	2 mV/V +/-0.002 FS	Bridge Resistance	1000 +/- 1 ohm	Ultimate Overload (FSO)	300% of FS	Side Load (FSO)	100% of FS	NTEP CC	04-102	FM Approved	YES	<table border="1"> <thead> <tr> <th colspan="4" style="background-color: #e0e0e0;">Aegis Stainless Steel Drum Scales</th> </tr> <tr> <th>Product #</th> <th>Description</th> <th>Weight</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>28379</td> <td>Aegis SS Drum Scale 30" x 30" - 500 lbs</td> <td>180 lbs</td> <td>\$4,536.00</td> </tr> <tr> <td>28380</td> <td>Aegis SS Drum Scale 30" x 30" - 1,000 lbs</td> <td>180 lbs</td> <td>\$4,253.00</td> </tr> <tr> <td>28743</td> <td>Aegis SS Drum Scale 30" x 30" - 2,000 lbs</td> <td>180 lbs</td> <td>\$4,253.00</td> </tr> <tr> <td>28381</td> <td>Aegis SS Drum Scale 30" x 30" - 2,500 lbs</td> <td>180 lbs</td> <td>\$4,253.00</td> </tr> <tr> <td>28726</td> <td>Aegis SS Drum Scale 38" x 38" - 500 lbs</td> <td>270 lbs</td> <td>\$5,103.00</td> </tr> <tr> <td>28727</td> <td>Aegis SS Drum Scale 38" x 38" - 1,000 lbs</td> <td>270 lbs</td> <td>\$4,820.00</td> </tr> <tr> <td>28747</td> <td>Aegis SS Drum Scale 38" x 38" - 2,000 lbs</td> <td>270 lbs</td> <td>\$4,820.00</td> </tr> <tr> <td>28728</td> <td>Aegis SS Drum Scale 38" x 38" - 2,500 lbs</td> <td>270 lbs</td> <td>\$4,820.00</td> </tr> </tbody> </table> <p style="color: red; font-weight: bold;">**Ramps, Pillars, Wheel Kits, Factory Calibration and Quick Disconnect options available on the product page on the Nexus platform</p>	Aegis Stainless Steel Drum Scales				Product #	Description	Weight	List Price	28379	Aegis SS Drum Scale 30" x 30" - 500 lbs	180 lbs	\$4,536.00	28380	Aegis SS Drum Scale 30" x 30" - 1,000 lbs	180 lbs	\$4,253.00	28743	Aegis SS Drum Scale 30" x 30" - 2,000 lbs	180 lbs	\$4,253.00	28381	Aegis SS Drum Scale 30" x 30" - 2,500 lbs	180 lbs	\$4,253.00	28726	Aegis SS Drum Scale 38" x 38" - 500 lbs	270 lbs	\$5,103.00	28727	Aegis SS Drum Scale 38" x 38" - 1,000 lbs	270 lbs	\$4,820.00	28747	Aegis SS Drum Scale 38" x 38" - 2,000 lbs	270 lbs	\$4,820.00	28728	Aegis SS Drum Scale 38" x 38" - 2,500 lbs	270 lbs	\$4,820.00
Platform Size	30" x 30"																																																																														
Overall Dimensions	41" x 30" x 3"																																																																														
Platform Height	1.5" Platform, 3" Side Rails																																																																														
Endloading	100% on 2000 lbs capacity & below 80% on 2500 lbs capacity																																																																														
Cable	30' PVC, Jacketed																																																																														
Construction	304PH Brushed Stainless Steel																																																																														
Accessories	Ramps, Pillars, Wheel Kits																																																																														
NTEP	2500d on 500 lbs capacity 5000d on all other																																																																														
LOAD CELL SPECIFICATIONS																																																																															
Load Cell Capacity	500 lbs & 1000 lbs																																																																														
Accuracy	5,000 d																																																																														
Load Cell Protection	IP69K																																																																														
Load Cell Construction	17-4 PH Stainless Steel																																																																														
Rated Output	2 mV/V +/-0.002 FS																																																																														
Bridge Resistance	1000 +/- 1 ohm																																																																														
Ultimate Overload (FSO)	300% of FS																																																																														
Side Load (FSO)	100% of FS																																																																														
NTEP CC	04-102																																																																														
FM Approved	YES																																																																														
Aegis Stainless Steel Drum Scales																																																																															
Product #	Description	Weight	List Price																																																																												
28379	Aegis SS Drum Scale 30" x 30" - 500 lbs	180 lbs	\$4,536.00																																																																												
28380	Aegis SS Drum Scale 30" x 30" - 1,000 lbs	180 lbs	\$4,253.00																																																																												
28743	Aegis SS Drum Scale 30" x 30" - 2,000 lbs	180 lbs	\$4,253.00																																																																												
28381	Aegis SS Drum Scale 30" x 30" - 2,500 lbs	180 lbs	\$4,253.00																																																																												
28726	Aegis SS Drum Scale 38" x 38" - 500 lbs	270 lbs	\$5,103.00																																																																												
28727	Aegis SS Drum Scale 38" x 38" - 1,000 lbs	270 lbs	\$4,820.00																																																																												
28747	Aegis SS Drum Scale 38" x 38" - 2,000 lbs	270 lbs	\$4,820.00																																																																												
28728	Aegis SS Drum Scale 38" x 38" - 2,500 lbs	270 lbs	\$4,820.00																																																																												
	Aegis Stainless Steel Drum Scale with Backstop																																																																														
	<table border="1"> <thead> <tr> <th colspan="4" style="background-color: #e0e0e0;">Aegis Stainless Steel Drum Scales with Backstop</th> </tr> <tr> <th>Product #</th> <th>Description</th> <th>Weight</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>33619</td> <td>AEGIS SS DRUM 30" x 30"; 500 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$4,407.00</td> </tr> <tr> <td>33615</td> <td>AEGIS SS DRUM 30" x 30"; 1,000 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$4,132.00</td> </tr> <tr> <td>33620</td> <td>AEGIS SS DRUM 30" x 30"; 2,000 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$4,132.00</td> </tr> <tr> <td>33621</td> <td>AEGIS SS DRUM 30" x 30"; 2,500 LBS W/ BACKSTOP</td> <td>185 lbs</td> <td>\$4,132.00</td> </tr> </tbody> </table> <p style="color: red; font-weight: bold;">**Ramps, Pillars, Wheel Kits, Factory Calibration and Quick Disconnect options available on the product page on the Nexus platform</p>	Aegis Stainless Steel Drum Scales with Backstop				Product #	Description	Weight	List Price	33619	AEGIS SS DRUM 30" x 30"; 500 LBS W/ BACKSTOP	185 lbs	\$4,407.00	33615	AEGIS SS DRUM 30" x 30"; 1,000 LBS W/ BACKSTOP	185 lbs	\$4,132.00	33620	AEGIS SS DRUM 30" x 30"; 2,000 LBS W/ BACKSTOP	185 lbs	\$4,132.00	33621	AEGIS SS DRUM 30" x 30"; 2,500 LBS W/ BACKSTOP	185 lbs	\$4,132.00																																																						
Aegis Stainless Steel Drum Scales with Backstop																																																																															
Product #	Description	Weight	List Price																																																																												
33619	AEGIS SS DRUM 30" x 30"; 500 LBS W/ BACKSTOP	185 lbs	\$4,407.00																																																																												
33615	AEGIS SS DRUM 30" x 30"; 1,000 LBS W/ BACKSTOP	185 lbs	\$4,132.00																																																																												
33620	AEGIS SS DRUM 30" x 30"; 2,000 LBS W/ BACKSTOP	185 lbs	\$4,132.00																																																																												
33621	AEGIS SS DRUM 30" x 30"; 2,500 LBS W/ BACKSTOP	185 lbs	\$4,132.00																																																																												



Aegis Drum Scale Accessories

Mild Steel

Product #	Description	Shipping Weight	List Price			
27779	RAMP--Aegis,30" MS Drum scale	18 lbs	\$240.00			
28585	RAMP--Aegis 38" MS Drum scale	27 lbs	\$285.00			
• Price Includes a single ramp and two (2) Anchor Bolts						
27791	RAMP-PILLAR,30" MS Aegis Drum	32 lbs	\$526.00			
28591	RAMP-PILLAR, 38" MS Aegis Drum	41 lbs	\$571.00			
• Price Includes Ramp, Pillar Stand, Pillar and four (4) anchor bolts. Hardware to mount instrument is included						
Product #	Description	Length	Width	Height	Weight	List Price
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	14"	16"	41"	51 lbs	\$405.00
• Hardware to mount instrument is included						
28549	Wheel kit, MS 30" Aegis Drum				80 lbs	\$1,715.00
28774	Wheel kit, MS 38" Aegis Drum				90 lbs	\$2,437.00
• Price includes two (2) integral ramps, portability frame, pillar, handle and instrument stand						
70895	EYEBOLTS SET OF 2 (MILD STEEL), 1/2" - 13 UNC X 3/4" THREADS, SET OF TWO (2)				1 lbs	\$42.00
70896	EYEBOLT HOLE PLUGS, STAINLESS STEEL, SET OF TWO (2) WITH 1/4" RECESSED HEX HEAD				1 lbs	\$26.00

Stainless Steel

Product #	Description	Shipping Weight	List Price			
27780	RAMP--Aegis 30" SS Drum scale	18 lbs	\$341.00			
28586	RAMP--Aegis 38" SS Drum scale	27 lbs	\$394.00			
• Price Includes a single ramp and two (2) Anchor Bolts						
27792	RAMP-PILLAR, 30" SS Aegis Drum	32 lbs	\$751.00			
28592	Ramp-pillar, 38" SS Aegis Drum	41 lbs	\$822.00			
• Price Includes Ramp, Pillar Stand, Pillar and four (4) anchor bolts. Hardware to mount instrument is included						
Product #	Description	Length	Width	Height	Weight	List Price
28397	AEGIS STAINLESS STEEL STAND-ALONE INSTRUMENT PILLAR	14"	16"	41"	51 lbs	\$642.00
• Hardware to mount instrument is included						
28550	Wheel kit, SS 30" Aegis Drum				80 lbs	\$1,927.00
28775	Wheel kit, SS 38" Aegis Drum				90 lbs	\$2,754.00
• Price includes two (2) integral ramps, portability frame, pillar, handle and instrument stand						
70895	EYEBOLTS SET OF 2 (MILD STEEL), 1/2" - 13 UNC X 3/4" THREADS, SET OF TWO (2)				1 lbs	\$42.00
70896	EYEBOLT HOLE PLUGS, STAINLESS STEEL, SET OF TWO (2) WITH 1/4" RECESSED HEX HEAD				1 lbs	\$26.00



Aegis Transport Scales

Aegis Transport Scale



Model	Aegis Transport	Fairbanks' Aegis Transport design is totally unique to the drum scale market. You won't find another manufacturer's drum scale that can compete with the Transport's level of portability, rugged design and precise accuracy. <ul style="list-style-type: none"> • Combine the Transport with a Fairbanks battery-powered instrument for the most portable scale available. • Low-profile, 1 1/2" above floor • Mild or stainless steel • Live side rails • NTEP, FM & MC Approved
Description	Aegis Transport Scales feature a built-in, 'dolly' wheel design for easy portability. Simply tilt the scale back and move it to the next location.	
Capacities & Sizes	500 to 2,500 lbs Platform: 24" x 30" Overall Dimensions: 32" x 43" x 60"	
Target Applications	Drums/Barrels, Chemical Manufacturing, Multiple Workstations	

Specifications:

Pricing

Aegis Mild Steel Transport Scale

Aegis Mild Steel Transport Scale Specifications	
Platform	Smooth
Platform Size	24" x 30"
Platform Height	1.5" Platform, 3" Siderails
Overall Dimensions	32" W x 43" D x 60" H
Cable	7' PVC, Jacketed
Construction	Mild Steel Black Powder Coated
LOAD CELL SPECIFICATIONS:	
Load Cell Capacity	500 lbs & 1000 lbs
Accuracy	5000 d
Protection Rating	IP67
Load Cell Construction	17-4 PH Stainless Steel
Rated Output	2 mV/V +/-0.002 FS
Bridge Resistance	1000 +/- 1 ohm
Ultimate Overload (FSO)	300% of FS
Side Load (FSO)	100% of FS
NTEP CC	04-102
FM Approved	YES

Aegis Mild Steel Transport Scales			
Product #	Description	Weight	List Price
28877	Aegis MS Transport Scale 24x30" 500 lbs	385 lbs	\$3,508.00
28878	Aegis MS Transport Scale 24x30" 1000 lbs	385 lbs	\$3,253.00
28879	Aegis MS Transport Scale 24x30" 2000 lbs	385 lbs	\$3,253.00
28880	Aegis MS Transport Scale 24x30" 2500 lbs	385 lbs	\$3,253.00

Aegis Stainless Steel Transport Scale


Aegis Stainless Steel Transport Scale Specifications	
Platform	Smooth
Platform Size	24" x 30"
Platform Height	1.5" Platform, 3" Siderails
Overall Dimensions	32" W x 43" D x 60" H
Cable	7' PVC, Jacketed
Construction	304PH Brushed Stainless
LOAD CELL SPECIFICATIONS:	
Load Cell Capacity	500 lbs & 1000 lbs
Accuracy	5000 d
Protection Rating	IP69K
Load Cell Construction	17-4 PH Stainless Steel
Rated Output	2 mV/V +/-0.002 FS
Bridge Resistance	1000 +/- 1 ohm
Ultimate Overload (FSO)	300% of FS
Side Load (FSO)	100% of FS
NTEP CC	04-102
FM Approved	YES

Aegis Stainless Steel Transport Scales			
Product #	Description	Weight	List Price
28881	Aegis SS Transport Scale 24" x 30" - 500 lbs	400 lbs	\$5,840.00
28882	Aegis SS Transport Scale 24" x 30" - 1,000 lbs	400 lbs	\$5,300.00
28883	Aegis SS Transport Scale 24" x 30" - 2,000 lbs	400 lbs	\$5,300.00
28884	Aegis SS Transport Scale 24" x 30" - 2,500 lbs	400 lbs	\$5,300.00



Yellow Jackets

Yellow Jacket Floor Scales & Floor Scale Packages

Yellow Jacket Floor Scale			
Yellow Jacket	Model		Finished with a safety yellow powder coat paint that is easy for forklift operators to see, even in low-light warehouse environments. The scale is constructed to provide years of uninterrupted and accurate performance. <ul style="list-style-type: none"> • Constructed of durable Type A36 carbon steel • Highly visible • Unique design with multi-ribbed understructure support • Easy to customize • 150% overload protection • Ultra-low 3.0" profile • Safety treat or smooth deck • Top access leveling with built-in bubble level • NTEP & FM Approved
Designed with a durable Type A36 carbon steel construction and Fairbanks' exclusive state-of-the-art weighbridge.	Description		
2,500 or 5,000 lbs. 4' x 4'	Capacities & Sizes		
Pallet, skids & tote weighing	Target Applications		

Yellow Jacket Specifications:

Platform	¼" thick deck with safety tread	NTEP	5000 d
Platform Height	3" nominal on all models	Accessories	Ramps, Bumper Guards, Instrument Pillars, Quick Disconnect, Factory Calibration
Overload Capacity	150% of rated scale capacity	Load Cell Specifications	
Humidity	0 to 95% non-condensing	Cable	Shielded, 4 conductor
Cable Length	30' standard (analog)	Protection rating	IP67
Load Cell Construction	Type A36 carbon steel	Construction	Allow Tool Steel
Paint	Yellow powder coat	Rated Output	3.00 mV/V +/-0.01
Grade Level	In operation, scale must be within 3 degrees of level	Output resistance	350 ohms +/- 2 ohms
Length	4'	Ultimate Overload (FSO)	150%
Width	4'		

Yellow Jacket Floor Scales

Product #	Description	Capacity (lbs.)	Length	Width	Shipping Weight	List Price
30325	YELLOW JACKET 4'X4' 2.5K	2,500	4'	4'	330 lbs	\$1,356.00
30326	YELLOW JACKET 4'X4' 2.5K	2,500	4'	4'	330 lbs	\$1,356.00
30327	YELLOW JACKET 4'X4' 5K	5,000	4'	4'	330 lbs	\$1,356.00
30328	YELLOW JACKET 4'X4' 5K	5,000	4'	4'	330 lbs	\$1,356.00

Yellow Jacket Floor Scale Packages (comes with factory calibration & quick disconnect)

Product #	Description	Capacity	Length	Width	Instrument	Weight	List Price
38398	YELLOW JACKET 4' x 4', 2.5k Pkg w/ FB1200 Resin Alloy (AC power)	2,500	4'	4'	FB1200 RA	350 lbs.	\$2,283.00
38399	YELLOW JACKET 4' x 4', 2.5k Pkg w/ FB1200 SS (AC power)	2,500	4'	4'	FB1200 SS	350 lbs.	\$2,509.00
35327	YELLOW JACKET 3500, 4' x 4' - 2.5k WITH FB2250 ABS	2,500	4'	4'	FB2250 ABS	350 lbs.	\$2,581.00
35328	YELLOW JACKET 3500, 4' x 4' - 2.5k WITH FB2250 SS	2,500	4'	4'	FB2250 SS	350 lbs.	\$3,116.00
38400	YELLOW JACKET 4' x 4', 5k Pkg w/ FB1200 Resin Alloy (AC power)	5,000	4'	4'	FB1200 RA	350 lbs.	\$2,185.00
38401	YELLOW JACKET 4' x 4', 5k Pkg w/ FB1200 SS (AC power)	5,000	4'	4'	FB1200 SS	350 lbs.	\$2,509.00
93812	YELLOW JACKET 3500, 4' X 4' - WITH FB2250 ABS	5,000	4'	4'	FB2250 ABS	350 lbs.	\$2,581.00
93813	YELLOW JACKET 3500, 4' X 4' WITH FB2250 SS	5,000	4'	4'	FB2250 SS	350 lbs.	\$3,116.00


****Ramps, Pillars, Bolt Down Plates, Factory Calibration and Quick Disconnect options available in the accessories section or on the product page on the Nexus platform.**



Yellow Jacket Floor Scale Accessories & Factory Services

Product #	Description	Deck Type	Length	Width	Shipping Weight	List Price
30256	RAMP ASSY 4' WIDE MS SAFETY DK	Safety Tread	4"	30"	225 lbs	\$497.00
30257	RAMP ASSY 4' WIDE MS SMOOTH DK	Smooth Plate	4"	30"	225 lbs	\$497.00
33027	RAMP WELDMNT, 4'X4'DIAMOND PLATE	Safety Tread	4"	4"	300 lbs	\$584.00
					Shipping Weight	List Price
30639	4' YELLOW JACKET BUMPER GUARD				125 lbs	\$223.00
					Shipping Weight	List Price
63777	1 SET OF STAINLESS-STEEL BOLT DOWN PLATES (SET OF 4)				6 lbs	\$140.00
63779	1 SET OF STAINLESS-STEEL BOLT DOWN PLATE (SET OF 2)				3 lbs	\$82.00
		Base Width	Base Length	Pole Height	Shipping Weight	List Price
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	14	16"	41"	51 lbs	\$405.00
					Shipping Weight	List Price
70895	EYEBOLTS SET OF 2 (MILD STEEL), 1/2" - 13 UNC X 3/4" THREADS, SET OF TWO (2)				1 lbs	\$42.00
70896	EYEBOLT HOLE PLUGS, STAINLESS STEEL, SET OF TWO (2) WITH 1/4" RECESSED HEX HEAD				1 lbs	\$26.00
						List Price
55674	NTEP FACTORY CALIBRATION ONLY SET TO 5,000 DIVISIONS (DEFAULT = LBS)					\$161.00
55674SP	NON-COMMERCIAL FACTORY CALIBRATION (DEFAULT - LBS.) - PARAMETERS REQUIRED AT TIME OF ORDER					\$161.00
72383	NEMA 4 QUICK DISCONNECT W/CALIBRATION (55674)					\$304.00
15611	QUICK DISCONNECT ACC (ONLY)					\$216.00
25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)					\$254.00
25275	NEMA 12 QUICK DISCONNECT ONLY					\$154.00

Yellow Jacket U-Shaped Floor Scales

Yellow Jacket U-Shaped Floor Scale			
	Model	YellowJacket U-Shaped	
	Description	Durable floor scale uniquely designed to work in sync with pallet jacks in noncommercial pallet, skid and tote weighing applications.	
	Capacities & Sizes	5,000 lbs.	Dimensions: 46" x 48" (outside) 34" x 42" (inside) 2.4" (height)
	Target Applications	Warehousing Shipping & Receiving	
Durable floor scale uniquely designed to work in sync with pallet jacks, skid and tote weighing applications. <ul style="list-style-type: none"> • U-shaped design for pallet jack loading applications • Built-in lifting handles • OSHA friendly • Reduce material handling times • Mild or stainless-steel construction • 150% overload capacity • FM approved stainless steel load cells • Not legal-for-trade 			

Yellow Jacket Specifications:

Platform	3/16" thick deck	NTEP	5000 d
Platform Height	2.4" nominal on all models	Accessories	Wheel kit, Instrument Pillars, Quick Disconnect, Factory Calibration
Deck Surface	Smooth Deck		
Overload Capacity	150% of rated scale capacity	Load Cell Specifications	
Humidity	0 to 95% non-condensing	Cable	Shielded, 4 conductor
Cable Length	30' standard (analog)	Protection rating	IP67
Paint	Yellow powder coat	Construction	17-4 PH stainless steel
Grade Level	In operation, scale must be within 3 degrees of level	Rated Output	2.00 mV/V +/-0.02 FS
Length	46"	Output resistance	1,000 ohms +/- 1 ohms
Width	48"	Ultimate Overload (FSO)	150%
Finish	Brushed	Load Cell Capacity	2,500 lbs

Yellow Jacket Mild Steel U-Shaped Floor Scale

Product #	Description	Capacity (lbs.)	Length	Width	Shipping Weight	List Price
33000	YELLOW JACKET, MS, U-SHAPE	5,000	46"	48"	230 lbs	\$2,466.00
33200	YELLOW JACKET, SS, U-SHAPE	5,000	46"	48"	230 lbs	\$4,951.00

****Factory Calibration and Quick Disconnect options available in the accessories section or on the Nexus platform**

Yellow Jacket U-Shaped Floor Scale Accessories

33030	WHEEL KIT ASSEMBLY FOR U-SHAPED FLOOR SCALE	5 lbs			\$324.00
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	51 lbs			\$405.00
34945	BOLT-DOWN PLATES, SET OF 2, STAINLESS - FOR YELLOW JACKET U-SHAPED FLOOR SCALE				\$67.30
34944	BOLT-DOWN PLATES, SET OF 4, STAINLESS - FOR YELLOW JACKET U-SHAPED FLOOR SCALE				\$114.06

Floor Scale Accessories

Aegis Mild Steel & Stainless Steel Accessories

Part #	Name/Description	List Price	Part #	Name/Description	List Price
63753	4' MS RAMP W/INTEGRAL BOLT DOW	\$739.00	63754	4' x30"x3" SS FLOOR SCALE RAMP	\$2,085.00
86467	48" X 48" MS CFP RAMP	\$889.00	27868	4'x 4'x 3" SS FLOOR SCALE RAMP	\$2,785.00
28396	MILD STEEL STAND-ALONE PILLAR - Hardware to mount instrument is included	\$405.00	72195	AEGIS 4' BUMPER GUARD STAINLESS STEEL	\$1,640.00
63776	MS BOLT DOWN PLATE (1 SET OF 4) WITH ANCHOR BOLTS	\$103.00	63760	4'X 4' AEGIS PIT FRAME STAINLESS STEEL	\$2,598.00
63778	MS BOLT DOWN PLATE (1 SET OF 2) WITH ANCHOR BOLTS	\$53.00	28397	AEGIS STAINLESS STEEL STAND-ALONE INSTRUMENT PILLAR	\$658.00
70895	EYEBOLTS SET OF 2 (MILD STEEL), 1/2" - 13 UNC X 3/4" THREADS, SET OF TWO (2)	\$42.00	63777	1 SET OF STAINLESS-STEEL BOLT DOWN PLATES (SET OF 4)	\$140.00
63759	AEGIS 4' X 4' PIT FRAME MILD STEEL	\$616.00	63779	1 SET OF STAINLESS-STEEL BOLT DOWN PLATE (SET OF 2)	\$82.00
89140	AEGIS 6' X 6' PIT FRAME MILD STEEL	\$839.00	70896	EYEBOLT HOLE PLUGS, STAINLESS STEEL, SET OF TWO (2) WITH 1/4" RECESSED HEX HEAD	\$26.00

Factory Calibration & Quick Disconnect

Part #	Name/Description	List Price	Part #	Name/Description	List Price
55674	NTEP FACTORY CALIBRATION ONLY SET TO 5,000 DIVISIONS (DEFAULT = LBS)	\$161.00	15611	QUICK DISCONNECT ACC (ONLY)	\$216.00
55674SP	NON-COMMERCIAL FACTORY CALIBRATION (DEFAULT - LBS.) - PARAMETERS REQUIRED AT TIME OF ORDER	\$161.00	25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)	\$254.00
72383	NEMA 4 QUICK DISCONNECT W/CALIBRATION (55674)	\$304.00	25275	NEMA 12 QUICK DISCONNECT ONLY	\$154.00

Standard Floor Scale Modifications

Part #	Name/Description	List Price	Part #	Name/Description	List Price
3000-02	Floor Scales with Non-standard dimensions ADDER	\$378.00	3009-03	Mild Steel Floor Scale with built-in Lifting Handles	\$271.00
3001-02	FLOOR SCALE SMOOTH DECK ADDER	\$0.00	3011-03	Floor Scale with Ramp with Smooth Surface	\$0.00
3002-02	#N/A	\$514.00	3012-03	Floor Scale with Lower Capacity Load Cells – Includes special serial tag	\$173.00
3004-02	Floor Scales with ACC 2801 Intrinsically Safe Controller	#N/A	3013-06	#N/A	\$271.00
3005-02	Floor Scales with ACC 2802 Intrinsically Safe Controller	#N/A	3015-11	Floor Scale stainless-steel load cell with welded covers and threaded load cell ball-in-cup foot	\$459.00
3006-03	Floor Scales with Non-Standard Ramp Dimensions	\$146.00	3016-12	Replace existing knuckle ball foot with stainless steel threaded ball-in-cup foot (4)	\$81.00
3007-03	Floor Scales with Non-Standard Pit Frame Dimensions	\$215.00	3017-14	Replace existing serial tag with multi-interval serial tag	\$81.00
3008-03	Floor Scales with Non-Standard Bumper Guard Dimensions	\$135.00	3021-01	Floor Scale QLC ACC-3300 Adder	\$409.00

• Ramps	• Bumper Guards	• Lifting eye bolts
• Bolt-down plates	• Intrinsically Safe Controllers	• Eyebolt hole plugs
• Pit Frames (flush grade available)	• Intalogix®	• Stand along instrument pillar
• Quick Disconnect	• Factory Calibration	• Wheel Kits

Floor Scale Modifications

• Smooth Decks	• Custom Platform Sizes	• Custom Pit Frames
• Smooth Ramps	• Custom Ramp Sizes	• Custom Bumper Guards
• Lower Capacity Load Cells	• Intrinsically Safe Controllers	• Intalogix® Kits
• Lifting Handles	• All options listed in the Floor scale section of our Industrial catalog	



Aegis Factory Services

Product	Description	List Price
---------	-------------	------------

Factory Services for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Heavy Capacity

Part #	Name/Description	List Price
55674	NTEP FACTORY CALIBRATION ONLY SET TO 5,000 DIVISIONS (DEFAULT = LBS)	\$161.00
55674SP	NON-COMMERCIAL FACTORY CALIBRATION (DEFAULT - LBS.) - PARAMETERS REQUIRED AT TIME OF ORDER	\$161.00
72383	NEMA 4 QUICK DISCONNECT W/CALIBRATION (55674)	\$304.00
15611	QUICK DISCONNECT ACC (ONLY)	\$216.00
25579	NEMA 12 QUICK DISCONNECT W/CALIBRATION (55674)	\$254.00
25275	NEMA 12 QUICK DISCONNECT ONLY	\$154.00



Notes:

- Reliant and Aegis mild steel factory calibration not available for any Intrinsically Safe instrument.
- Quick Disconnect on Factory Calibration not available on *Intalogix™* Floor Scales.
- Factory service for the Aegis Transport Scale: P/N 72383
- Factory service for the Aegis Drum Scale: P/N 72383 or 15611
- If a Quick Disconnect and non-commercial factory calibration are required, they must be ordered separately(15611 or 25275 and 55674SP).

Aegis Floor Scale Modifications

Product	Description
---------	-------------

See pages 16 - 18 for pricing and details for all modifications listed below.

3000-02	Floor Scale with Non-Standard Dimensions ¹
3001-02	Floor Scale with Smooth Deck Surface
3002-02	Aegis Industrial Mild Steel Floor Scale with Stainless Steel Hermetically Sealed Load Cells
3004-02	Aegis Floor Scale Manufactured with ¹ ACC 2801 Intrinsically Safe Controller (Used with FB2558 or FB3000 II Instruments)
3005-02	Aegis Floor Scale Manufactured with ² ACC 2802 Intrinsically Safe Controller (Used with 2800 Series Instruments.)
3006-03	Ramps - Non-Standard Width Size
3007-03	Pit Frames - Non-Standard Size
3008-03	Bumper Guards - Non-Standard Size
3009-03	Mild Steel Floor Scale with Built-in Lifting Handles
3010-03	Stainless Steel Floor Scale with Built-in Lifting Handles
3011-03	Ramp with Smooth Surface
3012-03	Floor Scale with Lower Capacity Load Cells * (Includes special serial tag)
3013-06	Stainless Steel potted load cells (LCF-HR4050) and AccuQuest feet upgrade
3015-11	Stainless steel load cells, welded cover and threaded ball-in-cup load cell foot Aegis Industrial stainless steel Aegis Industrial mild steel
3016-12	Threaded ball-in-cup load cell foot (4) stainless steel
3017-14	Multi-interval Serial Tags ³
3021-01	Floor Scale QLC ACC-3300 Adder

- ² Some platform sizes and load cell capacities may not be NTEP approved.
³ ACC 2875 (21737) Intrinsically Safe interface cable required, but not included. Order 21737 in length required. Some load cell capacities and sizes may not be compatible with certain platforms.
⁴ Contact local Weights & Measures to confirm this meets local NTEP requirements.



Floor Scale Standard Modifications

3000-02	Floor Scales with Non-standard dimensions ADDER	\$378.00
NOTES:		
<ul style="list-style-type: none"> • Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, or Aegis Heavy Capacity ONLY. • Available for floor scale sizes between 30" x 30" and 6' x 8' ONLY. <ul style="list-style-type: none"> o Contact Solutions Group for sizes outside these parameters. • Process: <ul style="list-style-type: none"> o Determine floor scale dimensions required. Example: 4.5' x 6.25' o Calculate the square feet. Example: 52" x 75" = 3,900 sq. inches / 144 = 27.08 sq. ft. o Round up to the next square foot of a standard floor scale. 5' x 7' = 35 sq. ft. o Use the Wholesale price of that standard size scale. o Both standard floor scale & 3000-02 item numbers and pricing must be on the order. o IMPORTANT: custom scale dimensions must be provided on the order. • Some platform sizes and capacities may not be NTEP Approved. 		
3001-02	FLOOR SCALE SMOOTH DECK ADDER	\$0.00
NOTES:		
<ul style="list-style-type: none"> • Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Lift Deck, or Aegis Heavy Capacity ONLY. • No additional cost when ordered with scale. • Both standard floor scale item number & 3001-02 must be on the order. 		
3002-02	Stainless Steel "True" Hermetically Sealed Load Cell with blind hole, UPGRADE including feet ADDER	\$514.00
NOTES:		
<ul style="list-style-type: none"> • Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Lift Deck, or Aegis Heavy Capacity ONLY. • No additional cost when ordered with scale. • Both standard floor scale item number & 3001-02 must be on the order. 		
3004-02	Floor Scales with ACC 2801 Intrinsically Safe Controller	\$526.00
NOTES:		
<ul style="list-style-type: none"> • Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Lift Deck, Aegis Heavy Capacity ONLY. <ul style="list-style-type: none"> o Includes ACC 2801 ISC o Interface cable (21737) and Instrument sold separately. o Factory calibration NOT included. o Factory calibration not offered for Intalogix products. • Add FB6011, FB6015, FB7111 or FB2560 with Intalogix or FB4000 with Intalogix. • Both standard floor scale & 3004-02 item numbers and pricing must be on the order. 		
3005-02	Floor Scales with ACC 2802 Intrinsically Safe Controller	\$526.00
NOTES:		
<ul style="list-style-type: none"> • Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Lift Deck, Aegis Heavy Capacity ONLY. <ul style="list-style-type: none"> o Includes ACC 2802 ISC o Interface cable (21737) and Instrument sold separately. o Factory calibration NOT included. o Factory calibration not offered for Intalogix products. • Add 2800 Instrument with Intalogix Technology. • Both standard floor scale & 3005-02 item numbers and pricing must be on the order. 		
3006-03	Floor Scales with Non-Standard Ramp Dimensions	\$146.00
NOTES:		
<ul style="list-style-type: none"> • Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Lift Deck, Aegis Heavy Capacity ONLY. <ul style="list-style-type: none"> o Includes ACC 2802 ISC o Interface cable (21737) and Instrument sold separately. o Factory calibration NOT included. o Factory calibration not offered for Intalogix products. • Add 2800 Instrument with Intalogix Technology. • Both standard floor scale & 3005-02 item numbers and pricing must be on the order. 		



3007-03 Floor Scales with Non-Standard Pit Frame Dimensions**\$215.00****NOTES:**

- Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, or Aegis Heavy Capacity **ONLY**.
 - Contact Solutions Group for sizes outside these parameters.
- Process:
 - Floor Scale pit frames are priced by the square foot. Example: 3' x 3' = 9 sq. ft., 4' x 5' = 20 sq. ft., etc.
 - Round the non-standard dimensional size pit frame up to the nearest standard pit frame size square foot.
 - Example: 41" x 57" = 16.2 sq. ft.
 - Closest standard size pit frame is 20 sq. ft. on the 4' x 5' pit frame.
 - Referencing pricing of the standard 4' x 5' mild steel pit frame,
 - § Product Number 63761.
 - Use the Wholesale price of that standard size Pit Frame.
 - **Both standard floor scale & 3000-02 item numbers and pricing must be on the order.**
 - **IMPORTANT: custom scale dimensions must be provided on the order.**
- Some platform sizes and capacities may not be NTEP Approved.

3008-03 Floor Scales with Non-Standard Bumper Guard Dimensions**\$135.00****NOTES:**Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel **ONLY**.


- Process:
 - Round up to the nearest standard size Bumper Guard,
 - § Example: 57" rounds up to 60"
- **Both standard Bumper Guard & 3008-03 item numbers and pricing must be on the order.**
- **IMPORTANT: custom scale dimensions must be provided on the order.**

3009-03 Mild Steel Floor Scale with built-in Lifting Handles**\$271.00****NOTES:**

- Available for Aegis Industrial Mild Steel **ONLY**.
- **Both standard floor scale & 3009-03 item numbers and pricing must be on the order.**

3010-03 Stainless Steel Floor Scale with built-in Lifting Handles**\$325.00****NOTES:**

- Available for Aegis Industrial Stainless Steel **ONLY**.
- **Both standard floor scale & 3010-03 item numbers and pricing must be on the order.**

**3011-03 Floor Scale with Ramp with Smooth Surface****\$0.00****NOTES:**

- Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel or Aegis Heavy Capacity **ONLY**.
- No additional cost when ordered with ramp.
- **Both standard floor scale item number & 3011-03 must be on the order.**

3012-03 Floor Scale with Lower Capacity Load Cells – Includes special serial tag**\$173.00****NOTES:**

- Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel **ONLY**.
- **Must specify load cell capacity on order.**
- **Must specify scale capacity on order.**
- **Both standard floor scale & 3012-03 item numbers and pricing must be on the order.**

3013-06 Stainless Steel Potted Load Cell with Blind Hold, including feet \$271.00

NOTES:

- Available for Aegis Industrial Mild Steel, **ONLY**.
- **Both standard floor scale & 3013-06 item numbers and pricing must be on the order.**

3015-11 Floor Scale stainless-steel load cell with welded covers and threaded load cell ball-in-cup foot \$459.00

NOTES:

- Available for Aegis Industrial Mild Steel & Aegis Industrial Stainless Steel **ONLY**.
- **Both standard floor scale & 3015-11 item numbers and pricing must be on the order.**

3016-12 Replace existing knuckle ball foot with stainless steel threaded ball-in-cup foot (4) \$81.00

NOTES:

- Available for Aegis Industrial Mild Steel **ONLY**.
- **Both standard floor scale & 3016-12 item numbers and pricing must be on the order.**

3017-14 Replace existing serial tag with multi-interval serial tag \$81.00

NOTES:

- Available for Aegis Industrial Mild Steel, Aegis Lift Deck, and Aegis Heavy Capacity **ONLY**.
- **Both standard floor scale & 3017-14 item numbers and pricing must be on the order.**

Scale	Serial Tag Capacity (lbs)	Serial Tag eMIN (lbs)
Aegis MS, SS & Aegis Lift Deck scales	5,000 / 10,000	1.0 / 2.0
Aegis MS, SS & Aegis Lift Deck scales	2,500 / 5,000	0.5 / 1.0
Aegis MS, SS & Aegis Lift Deck scales	1,000 / 2,500	0.2 / 0.5
Aegis Heavy Capacity	10,000 / 20,000	2.0 / 5.0

3021-01 Floor Scale QLC ACC-3300 Adder \$409.00

NOTES:

- Available for Aegis Industrial Mild Steel, Aegis Industrial Stainless Steel, Aegis Lift Deck, Aegis Heavy Capacity **ONLY**.
 - o Includes ACC 3300 QLC
 - o Interface cable (17246) and Instrument sold separately.
 - o Factory calibration NOT included.
 - o Factory calibration not offered for Intalogix products.
- Add FB6045, FB7121 or FB7122 instrument.
- **Both standard floor scale & 3021-01 item numbers and pricing must be on the order.**

