

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Coastal Storm

1.2. Intended Use of the Product

Use of the Substance/Mixture: Consumer-packaged-goods

1.3. Name, Address, and Telephone of the Responsible Party

Company

Enviroscent

4600 Roswell Road

Suite D-210

Atlanta, GA 30342

T 866-435-1832

EHS@enviroscent.com

www.enviroscent.com

1.4. Emergency Telephone Number

Emergency Number : 866-435-1832 (Office Hours 8:30-17:30 EST)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Irrit. 2 H315

Eye Irrit. 2 H319

Skin Sens. 1 H317

Aquatic Acute 2 H401

Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Warning

Hazard Statements (GHS-US)

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H401 - Toxic to aquatic life.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US)

: P261 - Avoid breathing dust, fume.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see section 4 on this SDS).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. Due to the product's final form, combustible dusts are not likely to be generated.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Pulp, cellulose	(CAS-No.) 65996-61-4	44 - 84	Comb. Dust
4-tert-Butylcyclohexyl acetate	(CAS-No.) 32210-23-4	3.75 - 27.5	Skin Sens. 1B, H317 Aquatic Acute 2, H401
3-Octanol, 3,7-dimethyl-	(CAS-No.) 78-69-3	1.5 - 11	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester	(CAS-No.) 24851-98-7	1.5 - 11	Aquatic Acute 3, H402
1,4-Dioxacycloheptadecane-5,17-dione	(CAS-No.) 105-95-3	0.75 - 5.5	Not classified
7-Octen-2-ol, 2,6-dimethyl-	(CAS-No.) 18479-58-8	0.75 - 5.5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-	(CAS-No.) 63500-71-0	0.75 - 5.5	Eye Irrit. 2A, H319
1H-3a,7-Methanoazulene, octahydro-6-methoxy-3,6,8,8-tetramethyl-, [3R-(3.alpha.,3a.beta.,6.beta.,7.beta.,8a.alpha.)]-	(CAS-No.) 19870-74-7	0.75 - 5.5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)-	(CAS-No.) 103-95-7	0.15 - 2.75	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
1,3-Benzodioxole-5-propanal, .alpha.-methyl-	(CAS-No.) 1205-17-0	0.15 - 2.75	Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
4-Penten-2-ol, 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-	(CAS-No.) 67801-20-1	0.15 - 2.75	Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Geranyl acetate	(CAS-No.) 105-87-3	0.15 - 2.75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Cyclohexanemethanol, 4-(1-methylethyl)-, cis-	(CAS-No.) 13828-37-0	0.15 - 2.75	Skin Sens. 1, H317
Cyclohexanol, 2-(1,1-dimethylethyl)-, acetate, cis-	(CAS-No.) 20298-69-5	0.15 - 2.75	Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalyl acetate	(CAS-No.) 115-95-7	0.15 - 2.75	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
1,4-Methanonaphthalen-6(2H)-one, octahydro-7-methyl-	(CAS-No.) 41724-19-0	0.015 - 0.55	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
4-Penten-1-one, 1-(5,5-dimethyl-1-cyclohexen-1-yl)-	(CAS-No.) 56973-85-4	0.015 - 0.55	Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
9-Undecenal, 2,6,10-trimethyl-	(CAS-No.) 141-13-9	0.015 - 0.55	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl-	(CAS-No.) 68039-49-6	0.015 - 0.55	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
3-Cyclohexene-1-carboxaldehyde, 1-methyl-4-(4-methyl-3-pentenyl)-	(CAS-No.) 52475-86-2	0.015 - 0.55	Not classified
Cyclohexanemethanol, .alpha.,3,3-trimethyl-, formate	(CAS-No.) 25225-08-5	0.015 - 0.55	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2-Buten-1-one, 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-	(CAS-No.) 23696-85-7	0.015 - 0.55	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Maltodextrin	(CAS-No.) 9050-36-6	< 0.5	Comb. Dust
Silica, amorphous	(CAS-No.) 7631-86-9	< 0.5	Not classified

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization. Causes skin irritation. Causes serious eye irritation.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Not expected to be a primary route of exposure. Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive. If excessive dust is generated from processing, it may present a dust explosion hazard when dispersed in air at sufficient quantities in the presence of an ignition source.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Irritating fumes. Organic compounds. Aldehydes. Acetaldehyde. Peroxides. Ketones. Hydrocarbons. Phenol. Phenolic compounds. Acrid smoke and irritating fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: If processed in such a way that dust may be generated, may present a dust explosion hazard in air.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Strong mineral acids. Alkalis. Materials that react with oxygenated terpenes. Aluminum. Amines. Nitric acid. Peroxides. Direct sunlight. Perchlorates.

7.3. Specific End Use(s)

Consumer-packaged-goods

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silica, amorphous (7631-86-9)		
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	6 mg/m ³
USA IDLH	US IDLH (mg/m ³)	3000 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	6 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80mg/m ³ /%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing

: Chemically resistant materials and fabrics.

Hand Protection

: Wear protective gloves.

Eye and Face Protection

: Chemical safety goggles.

Skin and Body Protection

: Wear suitable protective clothing.

Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls

: Avoid release to the environment.

Other Information

: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: RGB color
Odor	: Specific to fragrance
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

9.2. Other Information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. Moisture.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Strong mineral acids. Alkalis. Materials that react with oxygenated terpenes. Aluminum. Amines. Nitric acid. Peroxides. Direct sunlight. Perchlorates.

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Silica, amorphous (7631-86-9)	
LD50 Oral Rat	7900 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
4-tert-Butylcyclohexyl acetate (32210-23-4)	
LD50 Oral Rat	5 g/kg
LD50 Dermal Rabbit	> 5000 mg/kg
3-Octanol, 3,7-dimethyl- (78-69-3)	
LD50 Oral Rat	> 5 g/kg
LD50 Dermal Rabbit	> 5000 mg/kg
7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)	
LD50 Oral Rat	3600 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
Geranyl acetate (105-87-3)	
LD50 Oral Rat	6330 mg/kg
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
LD50 Oral Rat	3810 mg/kg
1,4-Methanonaphthalen-6(2H)-one, octahydro-7-methyl- (41724-19-0)	
ATE (Oral)	500.00 mg/kg body weight
ATE (Dermal)	1,100.00 mg/kg body weight
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)	
LD50 Oral Rat	> 5 g/kg
Linalyl acetate (115-95-7)	
LD50 Oral Rat	14550 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Silica, amorphous (7631-86-9)	
IARC group	3

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Not expected to be a primary route of exposure. Ingestion may cause adverse effects.

Chronic Symptoms: None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Silica, amorphous (7631-86-9)	
LC50 Fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3-Octanol, 3,7-dimethyl- (78-69-3)	
ErC50 (Algae)	15.1 mg/l
7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)	
LC50 Fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
NOEC Chronic Crustacea	9.5 mg/l
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)	
LC50 Fish 1	354 mg/l (Exposure time: 96 h - Species: Salmo gairdneri [static])
ErC50 (Algae)	> 100 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus [static])
Cyclohexanol, 2-(1,1-dimethylethyl)-, acetate, cis- (20298-69-5)	
LC50 Fish 1	5.6 mg/l (Exposure time: 96 h - Species: Danio rerio)
ErC50 (Algae)	4.2 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
NOEC Chronic Algae	0.57 mg/l (Species: Desmodesmus subspicatus)
4-Penten-2-ol, 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (67801-20-1)	
LC50 Fish 1	2.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
4-Penten-1-one, 1-(5,5-dimethyl-1-cyclohexen-1-yl)- (56973-85-4)	
EC50 Daphnia 1	1.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 (Algae)	3.4 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)
1,3-Benzodioxole-5-propanal, .alpha.-methyl- (1205-17-0)	
LC50 Fish 1	5.3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	8.3 mg/l (Exposure time: 96 h - Species: Daphnia magna)
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)	
LC50 Fish 1	19 mg/l
NOEC Chronic Fish	2 mg/l
9-Undecenal, 2,6,10-trimethyl- (141-13-9)	
LC50 Fish 1	> 0.609 mg/l

12.2. Persistence and Degradability

Coastal Storm	
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

Coastal Storm	
Bioaccumulative Potential	Not established.

Silica, amorphous (7631-86-9)	
BCF Fish 1	(no bioaccumulation expected)

7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)	
Log Kow	3.47 estimated

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (1,3-Benzodioxole-5-propanal, .alpha.-methyl-; 4-Penten-2-ol, 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-)

Hazard Class : 9

Identification Number : UN3077



Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label Codes : 9
Packing Group : III
Marine Pollutant : Marine pollutant
ERG Number : 171

14.2. In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,3-Benzodioxole-5-propanal, .alpha.-methyl-; 4-Penten-2-ol, 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-)

Hazard Class : 9
Identification Number : UN3077
Packing Group : III
Label Codes : 9
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F



Marine Pollutant : Marine pollutant

14.3. In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,3-Benzodioxole-5-propanal, .alpha.-methyl-; 4-Penten-2-ol, 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-)

Packing Group : III
Identification Number : UN3077
Hazard Class : 9
Label Codes : 9
ERG Code (IATA) : 9L



SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Coastal Storm	
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation
Pulp, cellulose (65996-61-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Maltodextrin (9050-36-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Silica, amorphous (7631-86-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
4-tert-Butylcyclohexyl acetate (32210-23-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
3-Octanol, 3,7-dimethyl- (78-69-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	PMN
1,4-Dioxacycloheptadecane-5,17-dione (105-95-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Geranyl acetate (105-87-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cyclohexanol, 2-(1,1-dimethylethyl)-, acetate, cis- (20298-69-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
4-Penten-2-ol, 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (67801-20-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Cyclohexanemethanol, 4-(1-methylethyl)-, cis- (13828-37-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
4-Penten-1-one, 1-(5,5-dimethyl-1-cyclohexen-1-yl)- (56973-85-4)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
1,3-Benzodioxole-5-propanal, .alpha.-methyl- (1205-17-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
1,4-Methanonaphthalen-6(2H)-one, octahydro-7-methyl- (41724-19-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Cyclohexanemethanol, .alpha.,3,3-trimethyl-, formate (25225-08-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
2-Buten-1-one, 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)- (23696-85-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
9-Undecenal, 2,6,10-trimethyl- (141-13-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl- (68039-49-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-Cyclohexene-1-carboxaldehyde, 1-methyl-4-(4-methyl-3-pentenyl)- (52475-86-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Linalyl acetate (115-95-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
1H-3a,7-Methanoazulene, octahydro-6-methoxy-3,6,8,8-tetramethyl-, [3R-(3.alpha.,3a.beta.,6.beta.,7.beta.,8a.alpha.)]- (19870-74-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Silica, amorphous (7631-86-9)
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision	: 01/14/2019
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4

Coastal Storm

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)