

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of Issue: 05/19/2020

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: Mango + Goji Berry1.2. Intended Use of the Product

Use of the Substance/Mixture: Consumer-packaged-goods

1.3. Name, Address, and Telephone of the Responsible Party

Company Enviroscent

4600 Roswell Road

Suite D-210

Atlanta, GA 30342 T 866-435-1832

EHS@enviroscent.com www.enviroscent.com

1.4. Emergency Telephone Number

Emergency Number: 866-435-1832 (Office Hours 8:30-17:30 EST)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Eye Irrit. 2 H319 Skin Sens. 1 H317 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P261 - Avoid breathing dust.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

Supplemental Information: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. Proper grounding procedures to avoid static electricity should be followed. Prevent dust accumulation (to minimize explosion hazard). Avoid

generating dust.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

05/19/2020 EN (English US) 1/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
Pulp, cellulose	Cellulose pulp / Cellulose, pulp / Pulp, cellulose (The fibrous substance obtained from the treatment of lignocellulosic substances (wood or other agricultural fiber sources) with one or more aqueous solutions of pulping and/or bleaching chemicals. Composed of cellulose, hemi-cellulose, lignin, and other minor components. The relative amounts of these components depend on the extent of the pulping and bleaching processes.) / Cellulose fibre	(CAS-No.) 65996-61-4	44 - 84	Comb. Dust
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester	Cyclopentene-1-acetate, 3-oxo-2-pentyl-, methyl / Methyl 3-oxo-2-pentylcyclopentaneacetate / Methyl dihydrojasmonate / Methyl 3-oxo-2-pentyl-1-cyclopentylacetate / Methyl 3-oxo-2-pentylcyclopentane acetate / Methyl dihydro jasmonate / 3-Oxo-2-pentylcyclopentaneacetic acid methyl ester	(CAS-No.) 24851-98-7	4.5 - 22	Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Terpenes and Terpenoids, sweet orange-oil	Orange oil terpenes / Orange oil, terpenes / Sweet orange oil terpenes / Terpenes and terpenoids, orange oil / Terpenes, orange oil / Oils, sweet orange (terpenes and terpenoids) / Terpenes and terpenoids, orange-oil / Orange, sweet, extract / Terpenes and terpenoids, sweet orange-oil	(CAS-No.) 68647-72-3	< 19.8	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Oils, orange, sweet	Orange oil / Oil of orange / Oils, orange / Oils, orange / Oils, orange, sweet (Extractives and their physically modified derivatives. Citrus aurantium, dulces, Citrus.) / Orange flower oil / Orange flower water absolute / Orange flower, absolute / Orange oil, sweet / CITRUS AURANTIUM DULCIS OIL / Orange peel sweet oil / Oil of Orange / Citrus aurantium dulcis (orange) seed oil / Orange oil terpeneless / Citrus aurantium dulcis oil / Sweet orange oil / CITRUS AURANTIUM DULCIS (ORANGE) PEEL oil / Citrus aurantium dulcis (orange) terpeneless (Citrus Sinensis (L.) Osbeck)	(CAS-No.) 8008-57-9	< 19.8	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

05/19/2020 EN (English US) 2/13

Safety Data Sheet
According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl alcohol	Benzenecarbinol / Benzenemethanol / Methanol, phenyl- / Phenylmethanol / Phenylmethyl alcohol / BENZYL ALCOHOL / .alpha Hydroxytoluene	(CAS-No.) 100-51-6	1.5 - 11	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
2(3H)-Furanone, 5- heptyldihydro-	.gammaHeptylgamma butyrolactone / 4- Hydroxyundecanoic acid lactone / .gammaUndecalactone / Undecalactone, .gamma / Undecan-4-olide / Undecanoic acid, 4-hydroxy-, .gamma lactone / 1,4-Undecanolide / 4- Undecanolide / Undecano-1,4- lactone / GAMMA- UNDECALACTONE / Peach aldehyde / Undecalactone / 5- Heptyloxolan-2-one / 5- Heptyldihydro-2(3H)-furanone	(CAS-No.) 104-67-6	0.75 - 5.5	Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Benzyl acetate	Acetate, benzyl / Acetic acid, benzyl ester / Acetic acid, phenylmethyl ester / Benzyl ethanoate / Phenylmethyl acetate / BENZYL ACETATE	(CAS-No.) 140-11-4	0.3 - 2.75	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
2H-Pyran-4-ol, tetrahydro-4-methyl-2- (2-methylpropyl)-	Tetrahydro-2-isobutyl-4- methylpyran-4-ol, mixed isomers (cis and trans) / Florol / Pyran(2H)-4-ol, tetrahydro-4- methyl-2-(2-methylpropyl)- / 2- Isobutyl-4-methyltetrahydro-2H- pyran-4-ol / 2-Isobutyl-4- methyloxan-4-ol	(CAS-No.) 63500-71-0	0.3 - 2.75	Eye Irrit. 2A, H319
2-tert-Butylcyclohexyl acetate	Cyclohexanol, 2-{1,1-dimethylethyl}-, acetate / Acetate, 2-tert-butylcyclohexyl / 1-Acetoxy-2-tert-butylcyclohexanol acetate / 2-(1,1-Dimethylethyl)cyclohexanol acetate / Cyclohexanol, 2-{1,1-dimethylethyl}-, 1-acetate / Verdox / 2-T-BUTYLCYCLOHEXYL ACETATE / Reaction mass of cis-2-tert-butylcyclohexyl acetate and trans-2-tert-butylcyclohexyl acetate / 0-tert-Butylcyclohexyl acetate / 2-tert-Butylcyclohexan-1-yl acetate	(CAS-No.) 88-41-5	0.3 - 2.75	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Benzoic acid, 2-hydroxy-, hexyl ester	Hexyl salicylate / Salicylate, n- hexyl / HEXYL SALICYLATE	(CAS-No.) 6259-76-3	0.3 - 2.75	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydroxydecanoic acid, .gammalactone	Decan-4-olide / Furan(3H)-2-one, 5-hexyldihydro- / 2(3H)- Furanone, 5-hexyldihydro- / Decano-1,4-lactone / .gamma Decalactone / .gamma Decanolactone / 2(3H-Furanone, 5-hexyldihydro- / 4-Decanolide	(CAS-No.) 706-14-9	0.3 - 2.75	Aquatic Acute 3, H402 Aquatic Chronic 3, H412

05/19/2020 3/13 EN (English US)

Safety Data Sheet
According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester	Ethyl 2,3-epoxy-3-phenylbutyrate / Ethyl ester of 2,3-epoxy-3-phenylbutanoic acid / Ethyl methylphenylglycidate / Hydrocinnamic acid, .alpha.,.betaepoxybetamethyl-, ethyl ester / 3-Methyl-3-phenylglycidic acid ethyl ester / Oxiranecarboxylate, 3-methyl-3-phenyl-, ethyl / Strawberry aldehyde / Ethyl methyl phenylglycidate / 2-Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester / ETHYL METHYLPHENYLGLYCIDATE / Ethyl 2,3-epoxy-3-methyl-3-phenylbutanoate / Ethyl 2,3-epoxy-3-phenyl butyrate / C16 aldehyde / Aldehyde C-16 pure	(CAS-No.) 77-83-8	0.15 - 1.1	Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
.betalonone	3-Buten-2-one, 4-(2,6,6- trimethyl-1-cyclohexen-1-yl)- / 4- (2,6,6-Trimethylcyclohex-1-ene-1- yl)-but-3-ene-2-one / MIXED IONONES / Ionone / 4-(2,6,6- Trimethylcyclohex-1-en-1-yl)but- 3-en-2-one / 4-(2,6,6-trimethyl-1- cyclohexen-1-yl)-3-Buten-2-one	(CAS-No.) 14901-07-6	0.15 - 1.1	Aquatic Acute 2, H401 Aquatic Chronic 2, H411
1,3-Benzodioxole-5- carboxaldehyde	3,4-Dihydroxybenzaldehyde methylene ketal / Heliotropine / 3,4-Methylenedioxybenzaldehyde / Piperonal / Piperonaldehyde / Protocatechuic aldehyde methylene ether / Heliotropin / HELIOTROPINE	(CAS-No.) 120-57-0	0.15 - 1.1	Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
7-Octen-2-ol, 2,6- dimethyl-	2,6-Dimethyl-7-octen-2-ol / 2,6- Dimethyloct-7-en-2-ol / Oct-7-en- 2-ol, 2,6-dimethyl- / 2,6- DIMETHYL-7-OCTEN-2-OL / Dihydromyrcenol	(CAS-No.) 18479-58-8	0.15 - 1.1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
1,4- Dioxacycloheptadecane- 5,17-dione	Cycloheptadecane-5,17-dione, 1,4-dioxa- / Emeressence 1150 / Ethyl brassylate / Ethylene brassylate / Ethylene undecane dicarboxylate / Musk T / 1,1'- Undecanedicarboxylic acid, ester with ethylene glycol / ETHYLENE BRASSYLATE / Tridecanedioic acid, cyclic ethylene ester	(CAS-No.) 105-95-3	0.15 - 1.1	Aquatic Acute 2, H401
2(3H)-Furanone, dihydro-5-pentyl-	Dihydro-5-pentyl-2(3H)-furanone / .gammaNonalactone / Nonalactone, .gamma / 1,4-Nonalolide / Nonano-1,4-lactone / Nonanoic acid, 4-hydroxy-, .gammalactone / .gammaAmyl butyrolactone / GAMMA-NONALACTONE / 4-Nonanolide / .deltan-Amylbutyrolactone / .gammaNonanolactone	(CAS-No.) 104-61-0	0.15 - 1.1	Aquatic Acute 2, H401
p-Anisaldehyde	Anisaldehyde / Anisic aldehyde / Benzaldehyde, 4-methoxy- / 4- Methoxybenzaldehyde / p- Methoxybenzaldehyde / 4- Anisaldehyde / ANISALDEHYDE / p-Methoxycinnamaldehyde	(CAS-No.) 123-11-5	0.15 - 1.1	Aquatic Acute 3, H402 Aquatic Chronic 3, H412

05/19/2020 EN (English US) 4/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propanoic acid, 2- methyl-, 2-phenoxyethyl ester	Phenoxyethyl isobutyrate / 2- Phenoxyethyl isobutyrate / Propanoate, 2-methyl-, phenoxyethyl / 2- Methylpropanoic acid 2- phenoxyethyl ester	(CAS-No.) 103-60-6	0.15 - 1.1	Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Phenethyl alcohol	Benzeneethanol / Benzyl carbinol / Ethanol, 2-phenyl- / Methanol, benzyl- / Phenethanol / 2-Phenethyl alcohol / 2-Phenylethanol / 2-Phenylethanol / 2-Phenylethanol / PHENETHYL ALCOHOL / 2-Phenyl-1-ethanol / .betaPhenylethyl alcohol	(CAS-No.) 60-12-8	0.15 - 1.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
2-Butanone, 4-(4- methoxyphenyl)-	Butan-2-one, 4-(4- methoxyphenyl)- / ENT 20,279 / 4-Methoxybenzylacetone / 4-(p- Methoxyphenyl)-2-butanone / 4- (4-Methoxyphenyl)butan-2-one / 4-(4-Methoxyphenyl)-2-butanone	(CAS-No.) 104-20-1	0.015 - 0.55	Not classified
Acetic acid, (cyclohexyloxy)-, 2- propenyl ester	Acetate, (cyclohexyloxy)-, 2- propenyl / Allyl (cyclohexyloxy)acetate / Acetic acid, 2-(cyclohexyloxy)-, 2- propen-1-yl ester / Allyl cyclohexyloxyacetate / Cyclogalbanate / Acetic acid, 2- (cyclohexyloxy)-, 2-propenyl ester	(CAS-No.) 68901-15-5	0.015 - 0.55	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Maltodextrin	MALTODEXTRIN / Maltodextrine	(CAS-No.) 9050-36-6	< 0.5	Comb. Dust
Silica, amorphous	Amorphous silica / Silica / Silica, amorphous, fumed / Silica, colloidal / Silicon dioxide / Silicon dioxide, amorphous / SILICA / Silicon(IV) oxide / Un-crystalline silica / Pigment White 27 / Silicon dioxide (amorphous) / Silicon dioxide amorphous / Silicon(IV)oxide / Silica amorphous / Fumed silica / Silicon dioxide containing crystalline and amorphous	(CAS-No.) 7631-86-9	< 0.5	Not classified
2-Buten-1-one, 1-(2,2-dimethyl-6-methylenecyclohexyl)-	1-(2,2-Dimethyl-6- methylenecyclohexyl)but-2-en-1- one / .gammaDamascone / 1- (2,2-Dimethyl-6- methylenecyclohexyl)-2-buten-1- one	(CAS-No.) 35087-49-1	0.0015 - 0.055	Skin Sens. 1, H317
Carbonic acid, 3-hexenyl methyl ester, (Z)-	Carbonate, 3-hexenyl methyl, (Z)-/ Carbonic acid, (3Z)-3-hexenyl methyl ester / cis-Hex-3-en-1-yl methyl carbonate / Hex-3(cis)-enyl methyl carbonate / 3-Hexenyl methyl carbonate / Carbonic acid, (3Z)-3-hexen-1-yl methyl ester / cis-3-Hexenyl methyl carbonate / (3Z)-3-Hexenyl methyl carbonate / (3Z)-Hexenyl methyl carbonate / 3-cis-Hexenyl methyl carbonate	(CAS-No.) 67633-96-9	0.0015 - 0.055	Skin Irrit. 2, H315 Skin Sens. 1B, H317

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

05/19/2020 EN (English US) 5/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Skin Contact: Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing. Obtain medical attention if irritation/rash develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization. Causes serious eye irritation.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive. If excessive dust is generated from processing, it may present a dust explosion hazard when dispersed in air at sufficient quantities in the presence of an ignition source.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Organic compounds. Aldehydes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing dust. Avoid generating dust.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: If processed in such a way that dust may be generated, may present a dust explosion hazard in air.

05/19/2020 EN (English US) 6/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis.

7.3. Specific End Use(s) Consumer-packaged-goods

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Silica, amorp	Silica, amorphous (7631-86-9)				
USA NIOSH	NIOSH REL (TWA) (mg/m³)	6 mg/m³			
USA IDLH	US IDLH (mg/m³)	3000 mg/m ³			
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³			
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80mg/m³/%SiO ₂)			
Benzyl alcoho	Benzyl alcohol (100-51-6)				
USA AIHA	WEEL TWA (ppm)	10 ppm			
Benzyl aceta	Benzyl acetate (140-11-4)				
USA ACGIH	ACGIH TWA (ppm)	10 ppm			
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen			

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing

Hand Protection
Eye and Face Protection
Skin and Body Protection
Respiratory Protection

Freezing Point

: Chemically resistant materials and fabrics.

: Wear protective gloves.: Chemical safety goggles.

: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid
Appearance : RGB color

Odor : Specific to fragrance
Odor Threshold : No data available
pH : No data available
Evaporation Rate : No data available
Melting Point : No data available

05/19/2020 EN (English US) 7/13

: No data available

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling Point : No data available : No data available **Flash Point Auto-ignition Temperature** No data available **Decomposition Temperature** : No data available Flammability (solid, gas) No data available **Vapor Pressure** : No data available : No data available Relative Vapor Density at 20°C **Relative Density** No data available Solubility : No data available **Partition Coefficient: N-Octanol/Water** No data available Viscosity : No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- **10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Moisture. Dust accumulation (to minimize explosion hazard).
- 10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis.
- **10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

Silica, amorphous (7631-86-9)			
LD50 Oral Rat	7900 mg/kg		
LD50 Dermal Rabbit	> 2000 mg/kg (No deaths)		
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl	ester (24851-98-7)		
LD50 Oral Rat	> 5 g/kg		
Benzyl alcohol (100-51-6)			
LD50 Oral Rat	1230 mg/kg		
LD50 Dermal Rabbit	> 2000 mg/kg		
LC50 Inhalation Rat	> 4.178 mg/l/4h		
ATE (Dust/Mist)	1.50 mg/l/4h		
Benzyl acetate (140-11-4)			
LD50 Oral Rat	2490 mg/kg		
LD50 Dermal Rabbit	> 5000 mg/kg		
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)			
LD50 Oral Rat	18500 mg/kg		
2-tert-Butylcyclohexyl acetate (88-41-5)			
LD50 Oral Rat	4600 mg/kg		
LD50 Dermal Rabbit	> 5000 mg/kg		
2(3H)-Furanone, dihydro-5-pentyl- (104-61-0)			
LD50 Oral Rat	6600 mg/kg		
LD50 Dermal Rabbit	> 5 g/kg		
7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)			
LD50 Oral Rat	3600 mg/kg		
LD50 Dermal Rabbit	> 5 g/kg		
Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)	Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)		
LD50 Oral Rat	> 5 g/kg		

05/19/2020 EN (English US) 8/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

.betalonone (14901-07-6)	
LD50 Oral Rat	4590 mg/kg
Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl	ester (77-83-8)
LD50 Oral Rat	5470 mg/kg
1,3-Benzodioxole-5-carboxaldehyde (120-57-0)	
LD50 Oral Rat	2700 mg/kg
1,4-Dioxacycloheptadecane-5,17-dione (105-95-3)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
Phenethyl alcohol (60-12-8)	
LD50 Oral Rat	1609 mg/kg
LD50 Dermal Rabbit	2535 mg/kg
Oils, orange, sweet (8008-57-9)	
LD50 Oral Rat	4400 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
Propanoic acid, 2-methyl-, 2-phenoxyethyl ester (103-60-6)
LD50 Oral Rat	> 5 g/kg
LD50 Dermal Rabbit	> 5 g/kg
p-Anisaldehyde (123-11-5)	
LD50 Oral Rat	3210 mg/kg (Species: Sprague-Dawley)
LD50 Dermal Rabbit	> 5000 mg/kg
LC50 Inhalation Rat	> 0.32 mg/l (Exposure time: 7 h)
Acetic acid, (cyclohexyloxy)-, 2-propenyl ester (68	901-15-5)
ATE (Oral)	500.00 mg/kg body weight
2-Butanone, 4-(4-methoxyphenyl)- (104-20-1)	
LD50 Oral Rat	> 5 g/kg
Skin Corrosion/Irritation: Not classified (Based on	fragrance supplier data, the classification criteria are not met.)

Skin Corrosion/Irritation: Not classified. (Based on fragrance supplier data, the classification criteria are not met.)

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified **Carcinogenicity:** Not classified

Silica, amorphous (7631-86-9)	
IARC group 3	
Benzyl acetate (140-11-4)	
IARC group	3

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Harmful to aquatic life with long lasting effects (Based on fragrance supplier data).

Silica, amorphous (7631-86-9)	
LC50 Fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)	
LC50 Fish 1	19 mg/l

05/19/2020 EN (English US) 9/13

Safety Data Sheet

Log Pow

Log Pow

Benzyl acetate (140-11-4)

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Federal Register / Vol. 77, No. 58 / Monday, I	Warch 26, 2012 / Rules and Regulations
NOEC Chronic Fish	2 mg/l
Benzyl alcohol (100-51-6)	
LC50 Fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 Fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
ErC50 (Algae)	770 mg/l
Benzyl acetate (140-11-4)	, · 0/
LC50 Fish 1	4 mg/l
NOEC Chronic Fish	0.92 mg/l
2(3H)-Furanone, 5-heptyldihydro- (104	
LC50 Fish 1	5.5 mg/l
2H-Pyran-4-ol, tetrahydro-4-methyl-2-	
LC50 Fish 1	354 mg/l (Exposure time: 96 h - Species: Salmo gairdneri [static])
ErC50 (Algae)	> 100 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus [static])
7-Octen-2-ol, 2,6-dimethyl- (18479-58-	
LC50 Fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]; Read Across -
NOTO Character Co.	Linalool)
NOEC Chronic Crustacea	9.5 mg/l
Benzoic acid, 2-hydroxy-, hexyl ester (6	
EC50 Daphnia 1	0.357 (0.228 - 0.871) mg/l (Exposure time: 48 h - Species: Daphnia magna)
Oxiranecarboxylic acid, 3-methyl-3-phe	enyl-, ethyl ester (77-83-8)
LC50 Fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
EC50 Daphnia 1	52 mg/l (Exposure time: 48 h - Species: Daphnia magna [static])
ErC50 (Algae)	42 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])
Hydroxydecanoic acid, .gammalacton	
LC50 Fish 1	17.1 - 19 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
1,3-Benzodioxole-5-carboxaldehyde (1	20-57-0)
LC50 Fish 1	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [Static])
EC50 Daphnia 1	52 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
ErC50 (Algae)	31 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [Static])
Phenethyl alcohol (60-12-8)	
EC50 Daphnia 1	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Propanoic acid, 2-methyl-, 2-phenoxye	
LC50 Fish 1	13.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
p-Anisaldehyde (123-11-5)	
LC50 Fish 1	40 mg/l
Acetic acid, (cyclohexyloxy)-, 2-propen	
LC50 Fish 1	0.205 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
ErC50 (Algae)	69.2 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [Static])
NOEC Chronic Crustacea	3.2 mg/l (Exposure time: 72 li - Species: r seddokircimeriela subcapitata (staticj)
	шсу
Mango + Goji Berry	May cause long term adverse effects in the environment
Persistence and Degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative Potential	
Mango + Goji Berry	
Bioaccumulative Potential	Not established.
Silica, amorphous (7631-86-9)	
BCF Fish 1	(no bioaccumulation expected)
Benzyl alcohol (100-51-6)	
Lea Deur	11

05/19/2020 EN (English US) 10/13

1.1

1.96

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7-Octen-2-ol, 2,6-dimethyl- (8479-58-8)	
Log Kow	3.47 estimated	
Hydroxydecanoic acid, .gamr	nalactone (706-14-9)	
Log Pow	2.72	
Phenethyl alcohol (60-12-8)		
Log Pow	1.38 (at 25 °C)	
12.4. Mobility in Soil		

Mobility in Soil

Mango + Goji Berry	
Ecology - Soil	Not established.

Other Adverse Effects 12.5.

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. **Waste Treatment Methods**

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. **US Federal Regulations**

Mango + Goji Berry		
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization	
	Health hazard - Serious eye damage or eye irritation	
Pulp, cellulose (65996-61-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
Maltodextrin (9050-36-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
Silica, amorphous (7631-86-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Benzyl alcohol (100-51-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Benzyl acetate (140-11-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2-tert-Butylcyclohexyl acetate (88-41-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.	

05/19/2020 EN (English US) 11/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2(3H)-Furanone, dihydro-5-pentyl- (104-61-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

.beta.-lonone (14901-07-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydroxydecanoic acid, .gamma.-lactone (706-14-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

1,3-Benzodioxole-5-carboxaldehyde (120-57-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

1,4-Dioxacycloheptadecane-5,17-dione (105-95-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Terpenes and Terpenoids, sweet orange-oil (68647-72-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Phenethyl alcohol (60-12-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Oils, orange, sweet (8008-57-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Propanoic acid, 2-methyl-, 2-phenoxyethyl ester (103-60-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

p-Anisaldehyde (123-11-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Acetic acid, (cyclohexyloxy)-, 2-propenyl ester (68901-15-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Carbonic acid, 3-hexenyl methyl ester, (Z)- (67633-96-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Butanone, 4-(4-methoxyphenyl)- (104-20-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Buten-1-one, 1-(2,2-dimethyl-6-methylenecyclohexyl)- (35087-49-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory FlagPMN - PMN - indicates a commenced PMN substance.

15.2. US State Regulations

Silica, amorphous (7631-86-9)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List

Benzyl alcohol (100-51-6)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List

Benzyl acetate (140-11-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 05/19/2020

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

GHS Full Text Phrases:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4

05/19/2020 EN (English US) 12/13

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Comb. Dust	Combustible Dust
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

05/19/2020 EN (English US) 13/13